


21 MAR 2024

AD ELEV 11
14 53 51S 141 36 39E

AERODROME CHART
PORMPURAAW, QLD (YPMP)

FIA BN CEN 118.2	CTAF+AFRU 126.7	AFRU+PAL 126.7		Bearings are Magnetic Elevations in FEET AMSL
---------------------	--------------------	-------------------	--	--



RWY	AERODROME LIGHTING	
	RL : AFRU+PAL 126.7, SDBY (8 SEC)	
14 ¹⁴⁵	LIRL	
³²⁵ 32	LIRL	

NOTES

1. FIA FREQ 118.2 AVBL AT 8,000FT.

Changes: NOTES, Editorial.


PMPAD01-178

USE QNH


RNP RWY 14

15 JUN 2023

PORMPURAAW, QLD (YPMP)




TR	IN	TURN	TIME	MIN ALT	DME LMT
145°	Right		1	1900	



AD ELEV 11
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	0.3	PM2NF	4	3	2	1.1	PM2NM						
ALT (3° APCH PATH)	1900	1810	1490	1170	860	550							



MISSED APPROACH:
TRACK DCT TO PM2NH,
THEN TURN RIGHT,
TRACK 300°.
CLIMB TO 1500FT.

NOTES

CATEGORY	A	B	C	D
LNAV	550 (539-3.1)			NOT APPLICABLE
CIRCLING *	750 (739-2.4)	850 (839-4.0)		
ALTERNATE	(1239-4.4)		(1339-6.0)	


- MAX IAS: INITIAL : 210KT.
- * NO CIRCLING E OF RWY 14 /32.

Changes: WPT NAMING CONVENTION, 372FT OBST, GRID COORD FORMAT, THR ELEV, Editorial. PMPGN01-175


USE QNH

RNP RWY 32
PORMPURAAW, QLD (YPMP)

15 JUN 2023



NM TO NEXT WPT	PM2SM	0.4	1	2	3	4	PM2SF	0.2					
ALT (3° APCH PATH)		570	760	1080	1400	1720	2030	2100					



NOTES

CATEGORY	A	B	C	D
LNAV	570 (559-3.2)			NOT APPLICABLE
CIRCLING *	750 (739-2.4)		850 (839-4.0)	
ALTERNATE	(1239-4.4)		(1339-6.0)	

- 1. MAX IAS: INITIAL : 210KT.
- * 2. NO CIRCLING E OF RWY 14 /32.

Changes: WPT NAMING CONVENTION, MINIMA, 372FT OBST, GRID COORD FORMAT, Editorial.

PMPGN02-175