


25 AUG 2011

AD ELEV 1163
S31 14 25 E119 21 35

AERODROME CHART
SOUTHERN CROSS, WA (YSCR)



	AERODROME LIGHTING	
RWY	TAXIWAY : SIDELINE BLUE RL : PILOT ACTIVATED 119.6	
14 ¹⁴⁰	LIRL (EMERG ONLY)	
320 32	LIRL (EMERG ONLY)	
09 ⁰⁹¹	NIL	
271 27	NIL	

NOTES

1. AWIS (PHONE) 08 9094 1025


Changes: CO-ORD FORMAT, AD REGISTERED, NOTE 1, AFRU, RWY LENGTH, AWIS PHONE. SCRAD01-128

GPS ARRIVAL PROCEDURES SOUTHERN CROSS, WA (YSCR)

25 AUG 2011

FIA ML CEN 123.4	CTAF+AFRU 126.7	PAL 119.6			Bearings are Magnetic Elevations in FEET AMSL
---------------------	--------------------	--------------	--	--	--


25 NM MSA




2900

SCR
NDB


GPS REFERENCE WAYPOINT SCR NDB
AWIS (PHONE) 08 9049 1025





10 NM MSA 2800

AD ELEV 1163

ALL ROUTES TO SCR NDB	△									<p>MISSED APPROACH: CLIMB ON TRACK TO 2900FT.</p>								
	NM FM NDB	25	15	6	5	4	0											
CIRCLING MINIMA			A,B: 2090-2.4		C: 2120-4.0		D: N/A											
NM FM NDB	5.2	5	4	3	2.8	2.7												
ALT (3° APCH PATH)	2900	2840	2520	2200	2120	2090												

SCRDG01-128





USE QNH

RNAV-N (GNSS)

25 AUG 2011

SOUTHERN CROSS, WA (YSCR)



NOTES

CATEGORY	A	B	C	D
CIRCLING	2090 (927-2.4)		2120 (957-4.0)	
ALTERNATE	(1427-4.4)		(1457-6.0)	
				NOT APPLICABLE

1. MAX IAS:
INITIAL : 210KT.
2. AWIS (PHONE)
08 9049 1025

Changes: CO-ORD FORMAT, AD REGISTERED, AFRU, AWIS PHONE.

SCRGN01-128



