


1 DEC 2022

AD ELEV 35
15 29 08S 141 45 05E

AERODROME CHART
KOWANYAMA, QLD (YKOW)



RWY	AERODROME LIGHTING	
	TAXIWAY : BLUE EDGE RL : PAL 119.6 , SDBY (15 SEC) , PTBL (90 MIN PN EXC IN EMERG 60 MIN PN)	
12 ¹¹⁴	LIRL PTBL	
²⁹⁴ 30	LIRL PTBL	

NOTES

1. FIA FREQ 118.2 AVBL 9,500FT.

Changes: SDBY SWITCH TIME, MAG VAR.



KOWAD01-173

USE QNH

RNP RWY 12

KOWANYAMA, QLD (YKOW)

1 DEC 2022



CATEGORY	A	B	C	D
LNAV/VNAV		350 (316-1.8)		NOT APPLICABLE
LNAV		550 (515-2.9)		
CIRCLING*	630 (595-2.4)	730 (695-4.0)		
ALTERNATE	(1095-4.4)		(1195-6.0)	

NOTES

1. MAX IAS:
INITIAL : 210KT.
- * 2. NO CIRCLING NORTH OF RWY 12 & RWY 30.


Changes: IAF ALTITUDE DEPICTION IN PROFILE VIEW, MAG VAR. KOWGN01-173

USE QNH


RNP RWY 30

KOWANYAMA, QLD (YKOW)


1 DEC 2022



RNP APCH
LNAV/VNAV RQMTS:
• YKOW QNH RQ
• YKOW TEMP RQ
• PROC TEMP RANGE
0°C TO +60°C




TR	INTURN	TIME	MIN ALT	DME LMT
294°	Left	1	1800	



AD ELEV 35
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	RW30	0.8	1.5	2	3	4	KWMEF	0.1				
ALT (3° APCH PATH)		350	550	720	1040	1360	1760	1800				



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	350 (315-1.8)			NOT APPLICABLE
LNAV	550 (515-2.9)			
CIRCLING*	630 (595-2.4)		730 (695-4.0)	
ALTERNATE	(1095-4.4)		(1195-6.0)	

- MAX IAS: INITIAL : 210KT.
- * NO CIRCLING NORTH OF RWY 12 & RWY 30.

Changes: IAF ALTITUDE DEPICTION IN PROFILE VIEW, MAG VAR.

KOWGN02-173