


16 JUN 2022

AD ELEV 209
33 47 50S 120 12 29E

AERODROME CHART
RAVENSTHORPE, WA (YNRV)



	AERODROME LIGHTING
RWY	TAXIWAY : BLUE EDGE RL : AFRU+PAL 126.7 , SDBY 15 SEC
06 <small>059</small>	PAPI 3.0° 42FT LIRL
<small>239</small> 24	PAPI 3.0° 42FT LIRL
14 <small>139</small>	NIL
<small>319</small> 32	NIL

NOTES

Changes: TWY A LABEL, GRID COORD FORMAT, Editorial.



NRVAD01-171

USE QNH


RNP RWY 06

7 SEP 2023

RAVENSTHORPE, WA (YNRV)




TR	IN	TURN	TIME	MIN ALT	DME LMT
129°	Left	1		2900	



AD ELEV 209
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	3.1	3	2	1	NRVWF	4	3	2	1.3	NRVWH			
ALT (3° APCH PATH)	2900	2880	2560	2240	1920	1600	1290	970	730				



MISSED APPROACH:
TRACK DCT TO NRVWH,
TURN LEFT,
TRACK 259°,
CLIMB TO 2900FT.

NOTES

- 1. MAX IAS: INITIAL : 210KT.

CATEGORY	A	B	C	D
LNAV	730 (537-3.0)			NOT APPLICABLE
CIRCLING	840 (631-2.4)		1270 (1061-4.0)	
ALTERNATE	(1131-4.4)		(1561-6.0)	

Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.



NRVGN01-176

USE QNH


RNP RWY 24

7 SEP 2023

RAVENSTHORPE, WA (YNRV)




TR	IN	TURN	TIME	MIN ALT	DME LMT
169°	Left	1		2900	



AD ELEV 209
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	NRVEM	1.4	2	3	4	NRVEF	1	2	3				
ALT (3° APCH PATH)		800	980	1300	1620	1940	2260	2580	2900				



NOTES

1. MAX IAS:
INITIAL : 210KT.

CATEGORY	A	B	C	D
LNAV	800 (591-3.3)			NOT APPLICABLE
CIRCLING	840 (631-2.4)	1270 (1061-4.0)		
ALTERNATE	(1131-4.4)		(1561-6.0)	

Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.

NRVGN02-176