


8 SEP 2022

AD ELEV 26
15 26 41S 145 11 04E

AERODROME CHART
COOKTOWN, QLD (YCKN)



	AERODROME INFORMATION
RWY	TAXIWAY : BLUE EDGE RL : AFRU+PAL 126.7 , SDBY (15 SEC)
11 ¹⁰⁵ 285 29	LIRL LIRL

NOTES

1. AWIS REQUIRES 1 SEC TRANSMISSION TO ACTIVATE.

Changes: TWY DESIGNATORS.



CKNAD01-172

USE QNH


RNP RWY 11

1 DEC 2022

COOKTOWN, QLD (YCKN)




TR	IN	TURN	TIME	MIN ALT	DME LMT
105°	Left	1	5100		



AD ELEV 26
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	CT2WI	4	3	2	1	CT2WF	4	3	2	1	0.9	0.6	CT2WM		
ALT(3° APCH PATH)	3590	3270	2950	2630	2310	2000	1680	1360	1040	720	700	600			



MISSED APPROACH:
TURN LEFT,
TRACK DCT TO CT2WH,
THENCE 093°,
CLIMB TO 2900FT.

NOTES

- MAX IAS:
INITIAL : 210KT.
- NO CIRCLING IN
SECTOR NORTHWEST
OF RWY 11 & RWY 29
BEYOND 3NM.
- MIN MAP GRAD 3.1%
TO 1100FT, THEN 2.5%.
- COLOUR: SEE
SPEC NOTICES.

CATEGORY	A	B	C	D
LNAV (2.5% MAP)		700 (674-3.8)		NOT APPLICABLE
LNAV (3.1% MAP)#		600 (574-3.2)		
CIRCLING *	1080 (1054-2.4)	1500(1474-4.0)		
ALTERNATE	(1554-4.4)	(1974-6.0)		


Changes: DIST/ALT TABLE.

CKNGN01-173

USE QNH

RNP RWY 29
COOKTOWN, QLD (YCKN)

24 MAR 2022




Holding at CT2EE

TR	IN	TURN	TIME	MIN ALT	DME LMT
282°	Right	1	2900		

* NO CIRCLING

AD ELEV 26
 Bearings are Magnetic
 Elevations in FEET AMSL

NM TO NEXT WPT	CT2EM	0.6	2	3.5	5	6	CT2EF	0.9	2	3	4	CT2EI		
ALT (3° APCH PATH)		570	1020	1500	1970	2290	2610	2900	3250	3570	3880	4200		



NOTES

CATEGORY	A	B	C	D
LNAV	590 (577-3.3)			NOT APPLICABLE
CIRCLING *	1080 (1054-2.4)		1500 (1474-4.0)	
ALTERNATE	(1554-4.4)		(1974-6.0)	

- MAX IAS: INITIAL : 210KT.
- NO CIRCLING IN SECTOR NORTHEAST OF RWY 11 & RWY 29 BEYOND 3NM.
- COLOUR: SEE SPEC NOTICES.

Changes: CHART TITLE, PBN SPECIFICATION BOX, WPT NAMES, Editorial.

CKNGN02-170