


| | | | | | |
|--------------------------|----------------------|--------------------|-------------------|-------------------|--|
| AAIS/AWIS (AH) 126.55 | FIA ML CEN 121.85 | CTAF+AFRU 126.9 | CA/GRS * 126.9 | AFRU+PAL 126.9 | Bearings are Magnetic Elevations in FEET AMSL |
|--------------------------|----------------------|--------------------|-------------------|-------------------|--|



Changes: AFRU+PAL.

AYEAD01-168

15 JUN 2023

AD ELEV 1626
25 11 10S 130 58 32E

AERODROME CHART - Page 2
AYERS ROCK/CONNELLAN, NT (YAYE)

| | | | | | |
|------------------------------------|--|--------------------|-------------------|-------------------|--|
| AAIS/AWIS (AH) 126.55 | FIA ML CEN 121.85 | CTAF+AFRU 126.9 | CA/GRS * 126.9 | AFRU+PAL 126.9 | Bearings are Magnetic Elevations in FEET AMSL |
| | | | | | |
| RWY | AERODROME LIGHTING | | | | |
| | TAXIWAY : BLUE EDGE ON TWY A AND TWY C RL : AFRU+PAL 126.9 , SDBY | | | | |
| 13 ¹²⁶ 306 31 | PAPI BOTH SIDES 3.0° 54FT LIRL PAPI BOTH SIDES 3.0° 54FT LIRL | | | | |
| | | | | | |

NOTES

* 1. DURING RPT OPS AS ADVISED ON AAIS.



Changes: NOTES.

AYEAD02-175

DME or GNSS ARRIVAL PROCEDURES AYERS ROCK/CONNELLAN, NT (YAYE)

9 SEP 2021

| | | | | | |
|---------------------------------|-----------------------------|---------------------------|------------------------|--------------------------|--|
| AAIS/AWIS (AH) 126.55 | FIA ML CEN 121.85 | CTAF+AFRU 126.9 | CA/GRS 126.9 | AFRU+PAL 126.9 | Bearings are Magnetic Elevations in FEET AMSL |
|---------------------------------|-----------------------------|---------------------------|------------------------|--------------------------|--|





USE QNH

RNP RWY 13

1 DEC 2022

AYERS ROCK/CONNELLAN, NT (YAYE)



NOTES

1. MAX IAS:
INITIAL : 210KT.

| CATEGORY | A | B | C | D |
|-----------|------|------------|------------|--------------------------|
| LNAV/VNAV | | 2000 | (388-2.2) | |
| LNAV | | 2190 | (578-3.3) | |
| CIRCLING | 2300 | (674-2.4) | 2530 | (904-4.0) 2530 (904-5.0) |
| ALTERNATE | | (1174-4.4) | (1404-6.0) | (1404-7.0) |

Changes: CHART TITLE, PBN SPECIFICATION BOX.



AYEGN01-173

USE QNH

RNP RWY 31

1 DEC 2022

AYERS ROCK/CONNELLAN, NT (YAYE)



NOTES

1. MAX IAS:
INITIAL : 210KT.

| CATEGORY | A | B | C | D |
|-----------|----------------|----------------|----------------|----------------|
| LNAV/VNAV | | 2000 (374-2.1) | | |
| LNAV | | 2190 (564-3.2) | | |
| CIRCLING | 2300 (674-2.4) | | 2530 (904-4.0) | 2530 (904-5.0) |
| ALTERNATE | (1174-4.4) | | (1404-6.0) | (1404-7.0) |

Changes: CHART TITLE, PBN SPECIFICATION BOX.


AYEGN02-173

USE QNH


NDB-Y RWY 31

9 SEP 2021

AYERS ROCK/CONNELLAN, NT (YAYE)



| | |
|-------------|----------------|
| DIST BY DME | NOT APPLICABLE |
| ALT | |



NOTES

| CATEGORY | A | B | C | D |
|-----------|-----------------------|-----------------------|-----------------------|---|
| S-I NDB | 2300 (674-3.8) | | | |
| CIRCLING | 2300 (674-2.4) | 2530 (904-4.0) | 2530 (904-5.0) | |
| ALTERNATE | (1174-4.4) | (1404-6.0) | (1404-7.0) | |

1. MAX IAS:
 INITIAL :
 CAT A&B 140KT.
 CAT C&D 210KT.

Changes: AFRU+PAL.


AYENB01-168

USE QNH


NDB-Z RWY 31

9 SEP 2021

AYERS ROCK/CONNELLAN, NT (YAYE)



| | | | | | | | | | | | | |
|--------------------|------|------|------|------|------|------|------|------|------|------|--|--|
| DIST BY DME | 2.9 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 10.8 | | |
| ALT (3° APCH PATH) | 2190 | 2230 | 2550 | 2860 | 3180 | 3500 | 3820 | 4140 | 4460 | 4700 | | |



| | | | | | | | | | | |
|------------------|--|-----|-----|--|--|-----|-----|--|-----|--|
| NM TO AYE DME | | 0 | 1.3 | | | 7 | 8 | | 11 | |
| NM TO RWY THR 31 | | 1.3 | 0 | | | 5.7 | 6.7 | | 9.7 | |

NOTES

- MAX IAS:
INITIAL :
CAT A&B 140KT.
CAT C&D 210KT.

| CATEGORY | A | B | C | D |
|-------------|----------------|----------------|----------------|---|
| S-I NDB/DME | 2190 (564-3.2) | | | |
| CIRCLING | 2300 (674-2.4) | 2530 (904-4.0) | 2530 (904-5.0) | |
| ALTERNATE | (1174-4.4) | (1404-6.0) | (1404-7.0) | |

Changes: AFRU+PAL.

AYENB02-168