


23 MAR 2023

AD ELEV 569  
31 33 04S 147 12 10E

AERODROME CHART  
**NYNGAN, NSW (YNYN)**

FIA ML CEN 123.9	CTAF 126.7	PAL 122.3		Bearings are Magnetic Elevations in FEET AMSL
---------------------	---------------	--------------	--	--



RWY		AERODROME LIGHTING
		TAXIWAY : BLUE EDGE RL : PAL 122.3 , SDBY MAN (ARO 0428 264 262)
<b>05</b> <small>049</small>		LIRL
<small>229</small> <b>23</b>		LIRL
<b>18</b> <small>183</small>		NIL
<small>003</small> <b>36</b>		NIL



**NOTES**

1. FIA FREQ 123.9 AVBL 5,000FT.


USE QNH

RNP RWY 05  
**NYNGAN, NSW (YNYN)**

15 JUN 2023




TR	IN	TURN	TIME	MIN ALT	DME LMT
049°	Left	1	2400		



**AD ELEV 569**  
 Bearings are Magnetic  
 Elevations in FEET AMSL

NM TO NEXT WPT	0.3	NY2WF	4	3	2	1.5	NY2WM						
ALT (3° APCH PATH)	2400	2290	1970	1650	1340	1170							



**NOTES**

CATEGORY	A	B	C	D
LNAV	1170 (601-3.4)			NOT APPLICABLE
CIRCLING	1190 (621-2.4)	1290 (721-4.0)		
ALTERNATE	(1121-4.4)		(1221-6.0)	

1. MAX IAS:  
 INITIAL : 210KT.


Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.

NYNGN01-175


USE QNH

RNP RWY 23  
**NYNGAN, NSW (YNYN)**

15 JUN 2023



NM TO NEXT WPT	NY2EM	1.5	2	3	4	NY2EF	0.3				
ALT (3° APCH PATH)	1170	1340	1650	1970	2290	2400					



**NOTES**

CATEGORY	A	B	C	D
LNAV	1170 (601-3.4)			NOT APPLICABLE
CIRCLING	1190 (621-2.4)	1290 (721-4.0)		
ALTERNATE	(1121-4.4)		(1221-6.0)	

1. MAX IAS: INITIAL : 210KT.

Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.

NYNGN02-175