





AAIS/AWIS (AH) 126.55	FIA ML CEN 121.85	CTAF+AFRU 126.9	CA/GRS * 126.9	AFRU+PAL 126.9	Bearings are Magnetic Elevations in FEET AMSL
RWY	AERODROME LIGHTING				
	TAXIWAY : BLUE EDGE ON TWY A AND TWY C RL : AFRU+PAL 126.9 , SDBY				
13 ¹²⁶ 306 31	PAPI BOTH SIDES 3.0° 54FT LIRL PAPI BOTH SIDES 3.0° 54FT LIRL				

NOTES

* 1. DURING RPT OPS AS ADVISED ON AAIS.

DME or GNSS ARRIVAL PROCEDURES
AYERS ROCK/CONNELLAN, NT (YAYE)

9 SEP 2021



Changes: AFRU+PAL.



AYEDG01-168

USE QNH

RNP RWY 13

1 DEC 2022

AYERS ROCK/CONNELLAN, NT (YAYE)



CATEGORY	A	B	C	D
LNAV/VNAV	2000 (388-2.2)			
LNAV	2190 (578-3.3)			
CIRCLING	2300 (674-2.4)		2530 (904-4.0)	2530 (904-5.0)
ALTERNATE	(1174-4.4)		(1404-6.0)	(1404-7.0)

1. MAX IAS:
INITIAL : 210KT.

Changes: CHART TITLE, PBN SPECIFICATION BOX.



AYEGN01-173

USE QNH

RNP RWY 31

1 DEC 2022

AYERS ROCK/CONNELLAN, NT (YAYE)



NOTES

 1. MAX IAS:
 INITIAL : 210KT.

CATEGORY	A	B	C	D
LNAV/VNAV	2000 (374-2.1)			
LNAV	2190 (564-3.2)			
CIRCLING	2300 (674-2.4)		2530 (904-4.0)	2530 (904-5.0)
ALTERNATE	(1174-4.4)		(1404-6.0)	(1404-7.0)

Changes: CHART TITLE, PBN SPECIFICATION BOX.



AYEGN02-173

USE QNH

NDB-Y RWY 31

9 SEP 2021

AYERS ROCK/CONNELLAN, NT (YAYE)



NOTES

CATEGORY	A	B	C	D
S-I NDB	2300 (674-3.8)			
CIRCLING	2300 (674-2.4)	2530 (904-4.0)	2530 (904-5.0)	
ALTERNATE	(1174-4.4)	(1404-6.0)	(1404-7.0)	

1. MAX IAS:
INITIAL :
CAT A&B 140KT.
CAT C&D 210KT.

Changes: AFRU+PAL.

AYENB01-168

