




RWY	AERODROME LIGHTING	
	TAXIWAY : BLUE EDGE (TWY A ONLY) RL : AFRU+PAL 126.7 , SDBY (15 SEC) , PTBL (EMERG ONLY, 90 MIN PN)	
11 ¹⁰⁵	LIRL PTBL	
285 29	LIRL PTBL	
17 ¹⁶⁸	PTBL	
348 35	PTBL	

NOTES

1. AWIS (PHONE) 08 8150 3801

GNSS ARRIVAL PROCEDURES
CEDUNA, SA (YCDU)

21 MAR 2024

FIA
ML CEN 123.5

CTAF+AFRU
126.7

AFRU+PAL
126.7

Bearings are Magnetic
Elevations in FEET AMSL

25 NM MSA
1800
CDU
NDB

10 NM MSA 1800

REFERENCE WAYPOINT CDU NDB
AWIS (PHONE) 08 8150 3801

CDU NDB 293

AD ELEV 77

SECTOR A

CDU NDB

244°
300°

1800

1000

MDA

MAPt

1800

3°

1560

170°

NM TO CDU NDB

25

15

9

5

0

CIRCLING MINIMA

A,B: 850-2.4

C: 940-4.0

D: N/A

NM TO CDU NDB

5.8

5

4

3.1

3.0

2.9

2.8

ALT (3° APCH PATH)

1800

1560

1240

940

920

900

850

MISSED APPROACH:

TURN LEFT,
TRACK 170°.
CLIMB TO 1800FT.

SECTOR B

CDU NDB

163°
301°

1800

1000

MDA

MAPt

1800

3°

1500

050°

NM TO CDU NDB

25

15

10

5

0

CIRCLING MINIMA

A,B: 780-2.4

C: 940-4.0

D: N/A

NM TO CDU NDB

6

5

4

3.3

3

2.8

ALT (3° APCH PATH)

1800

1500

1170

940

850

780

MISSED APPROACH:

TRACK 050°.
CLIMB TO 1800FT.

SECTOR C

CDU NDB

163°
243°

1800

1700

1000

MDA

MAPt

1800

3°

1550

170°

NM TO CDU NDB

25

15

8

6

5

0

CIRCLING MINIMA

A,B: 800-2.4

C: 940-4.0

D: N/A

NM TO CDU NDB

5.8

5

4

3.1

3

2.7

ALT (3° APCH PATH)

1800

1550

1230

940

900

800

MISSED APPROACH:

TRACK 170°.
CLIMB TO 1800FT.

Changes: SECT B CAT A, B, SECT C 6NM TO 5NM SEGMENT MINIMUM ALT, SECT BOUNDARIES. CDUDG01-178



© Airservices Australia

airservices
australia

USE QNH

RNP RWY 29
CEDUNA, SA (YCDU)

21 MAR 2024

**NOTES**

CATEGORY	A	B	C	D
LNAV	680 (603-3.4)			NOT APPLICABLE
CIRCLING	710 (633-2.4)		940 (863-4.0)	
ALTERNATE	(1133-4.4)		(1363-6.0)	

- MAX IAS:
INITIAL : 210KT.
- AWIS (PHONE)
08 8150 3801.

Changes: Editorial.

CDUGN01-178

RNP RWY 11
CEDUNA, SA (YCDU)

FIA
ML CEN 123.5

CTAF+AFRU
126.7


AFRU+PAL
126.7

RNP APCH

Holding at CDUWE

TR IN	TURN	TIME	MIN ALT	DME LMT
105°	Left	1	1800	

AD ELEV 77
Bearings are Magnetic
Elevations in FEET AMSL

[illegible]

CATEGORY	A	B	C	D
LNAV	610 (553-3.1)			NOT APPLICABLE
CIRCLING	710 (633-2.4)		940 (863-4.0)	
ALTERNATE	(1133-4.4)		(1363-6.0)	



1. MAX IAS:
INITIAL : 210KT.
2. AWIS (PHONE)
08 8150 3801.

CDUGN02-178

USE QNH

NDB RWY 11
CEDUNA, SA (YCDU)

30 NOV 2023

**NOTES**

CATEGORY	A	B	C	D
S-I NDB	660 (603-3.4)			NOT APPLICABLE
CIRCLING	710 (633-2.4)		940 (863-4.0)	
ALTERNATE	(1133-4.4)		(1363-6.0)	

1. MAX IAS:
INITIAL : 210KT.
2. AWIS (PHONE)
08 8150 3801

Changes: AFRU+PAL.

CDUNB01-177