








GNSS ARRIVAL PROCEDURES COOBER PEDY, SA (YCBP)

16 JUN 2022



Changes: SECTOR C MINIMA, DIST/ALT TABLE, PAL+AA.



CBPDG01-171

USE QNH

RNP RWY 04

1 DEC 2022

COOBER PEDY, SA (YCBP)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV		1080 (346-1.9)		NOT APPLICABLE
LNAV		1270 (536-3.0)		
CIRCLING	1390 (645-2.4)		1620 (875-4.0)	
ALTERNATE	(1145-4.4)		(1375-6.0)	

- MAX IAS:
INITIAL : 180KT.
- PROC NOT AVBL
WHEN R246B ACTIVE.

Changes: CHART TITLE, PBN SPECIFICATION BOX.



CBPGN01-173

USE QNH

RNP RWY 22

1 DEC 2022

COOBER PEDY, SA (YCBP)



NOTES

1. MAX IAS:
INITIAL : 210KT.

CATEGORY	A	B	C	D
LNAV/VNAV	1080 (335-1.9)			NOT APPLICABLE
LNAV	1270 (525-3.0)			
CIRCLING	1390 (645-2.4)	1620 (875-4.0)		
ALTERNATE	(1145-4.4)		(1375-6.0)	

Changes: CHART TITLE, PBN SPECIFICATION BOX.

CBPGN02-173

NDB RWY 22
COOBER PEDY, SA (YCBP)

AWIS 122.125	FIA ML CEN 120.7	CTAF+AFRU 126.7	PAL+AA 119.6
-------------------------------	-----------------------------------	----------------------------------	-------------------------------

CBP NDB 341
2200
25 NM MSA
10 NM MSA 2200
R246B UNLIM SFC NOTAM
Scale 1:500,000 5NM

TR	TURN	TIME	MIN ALT	DME LMT
068°	Left	1	2200	

AD ELEV 745

[illegible]

CATEGORY	A	B	C	D
S-I NDB	1390 (645-3.7)			NOT APPLICABLE
CIRCLING	1390 (645-2.4)		1620 (875-4.0)	
ALTERNATE	(1145-4.4)		(1375-6.0)	

1. MAX IAS:
INITIAL : 210KT
HOLDING: 180KT.
- * 2. HOLDING NOT AVBL
WHEN **R246B** ACTIVE.

CBPNB01-171