





DME or GNSS ARRIVAL PROCEDURES
ESPERANCE, WA (YESP)

2 DEC 2021





Changes: 10 MSA, CIRCLING MINIMA, DIST/ALT TABLE, NO CIRCLING. ESPDG01-169

USE QNH

RNP RWY 11

21 MAR 2024

ESPERANCE, WA (YESP)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	810 (376-2.1)			
LNAV	990 (556-3.2)			
CIRCLING*	1120 (649-2.4)	1230 (759-4.0)	1260 (789-5.0)	
ALTERNATE	(1149-4.4)	(1259-6.0)	(1289-7.0)	

1. MAX IAS:

INITIAL : 210KT.

* 2. NO CIRCLING CAT C/D
STH OF RWY 11/29.

Changes: CAT C CIRCLING, MAG VAR, Editorial.



ESPGN01-178

USE QNH

RNP RWY 29

21 MAR 2024

ESPERANCE, WA (YESP)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	810 (339-1.9)			
LNAV	990 (519-2.9)			
CIRCLING*	1120 (649-2.4)	1230 (759-4.0)	1260 (789-5.0)	
ALTERNATE	(1149-4.4)	(1259-6.0)	(1289-7.0)	

1. MAX IAS:
INITIAL : 210KT.
- * 2. NO CIRCLING CAT C/D
STH OF RWY 11/29.

Changes: CAT C CIRCLING, MAG VAR, Editorial.

ESPGN02-178

NDB RWY 11
ESPERANCE, WA (YESP)

AWIS 123.05 **FIA ML CEN 133.2** **CTAF+AFRU 126.7** **PAL 121.3**

Bearings are Magnetic Elevations in FEET AMSL

Holding at ESP NDB

TR	TURN	TIME	MIN ALT	DME LMT
320°	Left	1	2300	


ESP NDB 326

ESP NDB 2300

Scale 1:500,000

AD ELEV 471

DIST BY DME	6.2	6	5	4	3	2							
ALT (3° APCH PATH)	2300	2250	1930	1610	1300	990							



CATEGORY	A	B	C	D
S-I NDB	1040 (606-3.4)			
S-I NDB/DME	990 (556-3.1)			
CIRCLING *	1120 (649-2.4)	1230 (759-4.0)	1260 (789-5.0)	
ALTERNATE	(1149-4.4)	(1259-6.0)	(1289-7.0)	

1. MAX IAS:
INITIAL : 210KT.
- * 2. NO CIRCLING CAT C/D
STH OF RWY 11/29.

ESPNOB01- 178

NDB RWY 29
ESPERANCE, WA (YESP)

AWIS 123.05 **FIA ML CEN 133.2** **CTAF+AFRU 126.7** **PAL 121.3**

Bearings are Magnetic Elevations in FEET AMSL

Holding at ESP NDB

TR	INTURN	TIME	MIN ALT	DME LMT
123°	Left	1	2300	

ESP NDB 326

25 NM MSA 2300

10 NM MSA 2000


Scale 1:500,000 5NM

AD ELEV 471

***NO CIRCLING CAT C/D**

[illegible]

TRACK 283°.
CLIMB TO 2300ft.



NOTES

CATEGORY	A	B	C	D
S-I NDB	1040 (569-3.2)			
CIRCLING*	1120 (649-2.4)		1230 (759-4.0)	1260 (789-5.0)
ALTERNATE	(1149-4.4)		(1259-6.0)	(1289-7.0)

1. MAX IAS:
INITIAL : 180KT.



* 2. NO CIRCLING CAT C/D
STH OF RWY 11/29.

ESPNB02-178

USE QNH

VOR RWY 11
ESPERANCE, WA (YESP)

21 MAR 2024

**NOTES**

CATEGORY	A	B	C	D
S-I VOR	1040 (606-3.4)			
S-I VOR/DME	990 (556-3.1)			
CIRCLING*	1120 (649-2.4)	1230 (759-4.0)	1260 (789-5.0)	
ALTERNATE	(1149-4.4)	(1259-6.0)	(1289-7.0)	

1. MAX IAS:
INITIAL : 210KT.* 2. NO CIRCLING CAT C/D
STH OF RWY 11/29.



Changes: CAT C CIRCLING, MAG VAR, Editorial.

ESPVO01-178

USE QNH

VOR RWY 29
ESPERANCE, WA (YESP)

21 MAR 2024

**NOTES**

CATEGORY	A	B	C	D
S-I VOR	1040 (569-3.2)			
CIRCLING*	1120 (649-2.4)	1230 (759-4.0)	1260 (789-5.0)	
ALTERNATE	(1149-4.4)	(1259-6.0)	(1289-7.0)	

- MAX IAS:
INITIAL : 180KT.
- NO CIRCLING CAT C/D
STH OF RWY 11/29.

Changes: CAT C CIRCLING, MAG VAR, Editorial.

ESPVO02-178