







GNSS ARRIVAL PROCEDURES
HUGHENDEN, QLD (YHUG)

24 MAR 2022



RNP RWY 12
HUGHENDEN, QLD (YHUG)

AWIS 122.375	FIA BN CEN 119.8	CTAF+AFRU 126.7	AFRU+PAL 126.7
-------------------------------	-----------------------------------	----------------------------------	---------------------------------

Scale 1:500,000

0 5NM

10 NM MSA 3200

25 NM MSA 3700

YHUG ARP

AD ELEV 1043

Bearings are Magnetic

Elevations in FEET AMSL

TRIN	TURN	TIME	MIN ALT	DME LMT
121°	Left	1	3700	

NM TO NEXT WPT	3.2	3	2	1	HGDFWF	4	3	2	1.5	1	0.8	RW12	
ALT (3° APCH PATH)	3700	3630	3310	2990	2670	2350	2040	1720	1550	1400	1350		

MISSED APPROACH:
 TRACK DCT TO HGDFWF
 THENCE TRACK 121°
 CLIMB TO 3700FT

IAF

IF HGDFWI

FAF HGDFWF

MAPt RW12

MAHF HGDFWH

3700

HGDFWD
HGDFWE
HGDFWG

2500

2500

2670

1720

1700

MDA

MAPt

TCH 50FT

THR 12 ELEV 1031

NM TO RW12

15

10

5

2

0

4

3°

121°

121°

CATEGORY	A	B	C	D
LNAV/VNAV	1350 (319-1.8)			NOT APPLICABLE
LNAV	1550 (519-2.9)			
CIRCLING	1830 (787-2.4)	1990 (947-4.0)		
ALTERNATE	(1287-4.4)	(1447-6.0)		

Changes: LNAV/VNAV MINIMA SHADED BACKGROUND REMOVED.



HUGGN01-172

USE QNH

RNP RWY 30

8 SEP 2022

HUGHENDEN, QLD (YHUG)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	1390 (349-1.9)			NOT APPLICABLE
LNAV	1580 (537-3.0)			
CIRCLING	1830 (787-2.4)	1990 (947-4.0)		
ALTERNATE	(1287-4.4)	(1447-6.0)		

 1. MAX IAS:
 INITIAL : 210KT.



Changes: LNAV/VNAV MINIMA SHADED BACKGROUND REMOVED.

HUGGN02-172

USE QNH

NDB RWY 12
HUGHENDEN, QLD (YHUG)

15 JUN 2023

**NOTES**

CATEGORY	A	B	C	D
S-I NDB	1760 (729-4.2)			NOT APPLICABLE
CIRCLING	1830 (787-2.4)		1990 (947-4.0)	
ALTERNATE	(1287-4.4)		(1447-6.0)	

1. MAX IAS:
INITIAL :
CAT A&B 140KT.
CAT C 210KT.

Changes: Editorial.

HUGNB01-175