



AERODROME CHART

KARLAWINDA MINE, WA (YKWA)

FIA ML CEN 123.4		CTAF 122.0	Bearings are Magnetic Elevations in FEET AMSL	
RWY	AERODROME LIGHTING			
	RL : PTBL (EMERG ONLY , 90 MIN PN)			
01 007	PAPI 3.0° 51FT PTBL			
187 19	PAPI 3.0° 51FT PTBL			
NOTES 1. MANUALLY ACTIVATED 2HR PN. PAPI INTENSITY IS MANUALLY CONTROLLED. CTC AD REPORTING OFFICER (ARO) VIA CTAF 122.0				

KWAAD01-185



CATEGORY	A	B	C	D
LNAV	2420 (509 - 2.9)			NOT AUTHORISED
* CIRCLING	2550 (622-2.4)		2690(762-4.0)	
ALTERNATE	(1122-4.4)		(1262-6.0)	

NOTES


1. MAX IAS:
INITIAL: 210KT
MAP TURN: 210KT

*2. NO CIRCLING WEST
OF RWY 01/19


3. CAUTION: YNWN
PROCS ADJACENT
TO NW

4. CAUTION: BLASTING
REFER ERSA

RNP RWY 19
KARLAWINDA MINE, WA (YKWA)

[illegible]

TRACK DCT TO KW2NH,
THEN TRACK 187°.
CLIMB TO 3800FT.



1. MAX IAS:
INITIAL: 210KT
- *2. NO CIRCLING WEST
OF RWY 01/19
3. **CAUTION:** PROC
OVERLAD BY
PROCS AT YNWN.
PRESCRIBED
MAXIMUM ALTITUDES
ENSURE SEPARATION
3. **CAUTION:** BLASTING
REFER ERSA

CATEGORY	A	B	C	D
LNAV	2470 (542 - 3.1)			NOT AUTHORISED
* CIRCLING	2550 (622-2.4)	2690(762-4.0)		
ALTERNATE	(1122-4.4)	(1262-6.0)		

OF RWY 01/19
 3. CAUTION: PROC
 OVERLAD BY
 PROCS AT YNWN.
 PRESCRIBED
 MAXIMUM ALTITUDES
 ENSURE SEPARATION
 3. CAUTION: BLASTING
 BEEFERSA

KWAGN02-185