






RWY		AERODROME LIGHTING
		TAXIWAY : BLUE EDGE (CENTRE TWY ONLY) RL : PAL 122.3 , SDBY (5 SEC)
03 212	032 21	PAPI 3.0° 32FT LIRL PAPI 3.0° 32FT LIRL
09 264	084 27	NIL NIL
NOTES		

USE QNH

RNP RWY 03

27 NOV 2025

LATROBE VALLEY, VIC (YLTV)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	610 (445-2.5)			NOT APPLICABLE
LNAV	850 (685-3.9)			
CIRCLING	980 (800-2.4)	1470 (1290-4.0)		
ALTERNATE	(1300-4.4)	(1790-6.0)		

1. MAX IAS:
INITIAL : 210KT.



Changes: MIN SEG ALT, OBSTACLES 541FT DELETED, WPT NAMING CONVENTION, MAG VAR, Editorial. LTVGN01-185

USE QNH

RNP RWY 21

27 NOV 2025

LATROBE VALLEY, VIC (YLTV)



NOTES

1. MAX IAS:
INITIAL : 210KT.
2. **CAUTION:**
INITIAL & INTERMEDIATE
SEGMENT OVERLAP
HOLDING & INITIAL
SEGMENTS FOR YWSL
RNP RWY 09 PROC.
3. INITIAL SEGMENTS
INFRINGE R360A/C/F;
AWY CLR RQ.

Changes: OBSTACLES 541FT DELETED, WPT NAMING CONVENTION, MAG VAR, Editorial.



LTVGN02-185

USE QNH

NDB-A

27 NOV 2025

LATROBE VALLEY, VIC (YLTV)



NOTES

CATEGORY	A	B	C	D
			NOT APPLICABLE	
CIRCLING	980	(800-2.4)		
ALTERNATE		(1300-4.4)		

1. MAX IAS:
INITIAL :
CAT A&B 140KT.

Changes: MAG VAR, MAG BEARING, OBSTACLES 541FT DELETED, Editorial.



LTVNB01-185

USE QNH

NDB-B

27 NOV 2025

LATROBE VALLEY, VIC (YLTV)



NOTES

CATEGORY	A	B	C	D
	NOT APPLICABLE			NOT APPLICABLE
CIRCLING			1470 (1290-4.0)	
ALTERNATE			(1790-6.0)	

1. MAX IAS:
INITIAL : 180KT.
HOLDING : 180KT.

Changes: MAG VAR, OBSTACLES 541FT DELETED, Editorial.

LTVNB02-185