

AD ELEV 19
35 53 51S 150 08 44E

AERODROME CHART

MORUYA, NSW (YMRY)

AWIS 136.6 **FIA ML CEN 120.75 *** **CTAF+AFRU 132.05** **PAL+AA 122.4** **Bearings are Magnetic Elevations in FEET AMSL**

150 08 00E 150 09 00E 150 10 00E 35 53 00S 35 54 00S 35 54 00S

13° E

ELEV 17 81 1523 x 30 ELEV 14 36 827 x 18 ELEV 16 04 02 86

FUEL GA PARKING Rock Wall UNSEALED Rock Wall

Scale 1:40,000
METRES
200 0 200 400 600 800

AERODROME LIGHTING

RWY	TAXIWAYS : BLUE EDGE ON MAIN TWY BTN RWY 36 THR AND RPT APRON RL : PAL+AA 122.4 , SDBY (20 SEC)
18 179	PAPI 3.0° 39.5FT LIRL
359 36	PAPI 3.0° 39.5FT LIRL
04 043	NIL
223 22	NIL

NOTES

1. AWIS ACTIVATED BY 1 SEC TRANSMISSION.
2. * FIA FREQ 120.75 AVBL ABV 1,500FT.
3. PAL ACTIVATION - MINIMAL DELAY BTN PULSES.



Changes: GRASS TWY ADDED, TURN NODE, Editorial.

MRYAD01-183

USE QNH

RNP RWY 18
MORUYA, NSW (YMR)

5 SEP 2024

**NOTES**

CATEGORY	A	B	C	D
LNAV/VNAV	470 (453-2.5)			NOT APPLICABLE
LNAV	660 (641-3.6)			
CIRCLING *	780 (761-2.4)		880 (861-4.0)	
ALTERNATE	(1261-4.4)		(1361-6.0)	

1. MAX IAS:
INITIAL : 210KT.* 2. NO CIRCLING WEST
OF RWY 18 / 36.



Changes: THR ELEV, HAT, WPT NAMING CONVENTION, Editorial.

MRYGN01-180

USE QNH

RNP RWY 36
MORUYA, NSW (YMRY)

5 SEP 2024



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	530 (514-2.9)			NOT APPLICABLE
LNAV	730 (711-4.1)			
CIRCLING *	780 (761-2.4)		880 (861-4.0)	
ALTERNATE	(1261-4.4)		(1361-6.0)	

1. MAX IAS:
INITIAL : 210KT.* 2. NO CIRCLING WEST
OF RWY 18 / 36.

Changes: WPT NAMING CONVENTION, Editorial.

MRYGN02-180