








# DME or GNSS ARRIVAL PROCEDURES PARABURDOO, WA (YPBO) Page 1

23 MAR 2023






Changes: UNICOM REMOVED.

PBODG01-174

DME or GNSS ARRIVAL PROCEDURES  
PARABURDOO, WA (YPBO) Page 2

23 MAR 2023

|               |                     |                    |                   |  |                                                  |
|---------------|---------------------|--------------------|-------------------|--|--------------------------------------------------|
| AWIS<br>135.6 | FIA<br>ML CEN 125.7 | CTAF+AFRU<br>126.8 | AFRU+PAL<br>126.8 |  | Bearings are Magnetic<br>Elevations in FEET AMSL |
|---------------|---------------------|--------------------|-------------------|--|--------------------------------------------------|





USE QNH

RNP RWY 06

30 NOV 2023

PARABURDOO, WA (YPBO)



## NOTES

| CATEGORY   | A              | B | C               | D               |
|------------|----------------|---|-----------------|-----------------|
| LNAV/VNAV  | 1860 (485-2.7) |   |                 |                 |
| LNAV       | 2010 (635-3.6) |   |                 |                 |
| CIRCLING * | 2340 (934-2.4) |   | 2500 (1094-4.0) | 2570 (1164-5.0) |
| ALTERNATE  | (1434-4.4)     |   | (1594-6.0)      | (1664-7.0)      |

- MAX IAS:  
INITIAL : 210KT.  
MAP TURN: 240KT.
- NO CIRCLING S OF  
RWY 06/24 BEYOND  
3NM.
- COLOUR: SEE  
SPEC NOTICES.

Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.



PBOGN01-177

USE QNH

RNP RWY 24

30 NOV 2023

PARABURDOO, WA (YPBO)



## NOTES



| CATEGORY   | A              | B | C               | D               |
|------------|----------------|---|-----------------|-----------------|
| LNAV/VNAV  | 1910 (504-2.9) |   |                 |                 |
| LNAV       | 2090 (684-3.9) |   |                 |                 |
| CIRCLING * | 2340 (934-2.4) |   | 2500 (1094-4.0) | 2570 (1164-5.0) |
| ALTERNATE  | (1434-4.4)     |   | (1594-6.0)      | (1664-7.0)      |

- MAX IAS:  
INITIAL : 210KT.
- NO CIRCLING S OF  
RWY 06/24 BEYOND  
3NM.
- COLOUR: SEE  
SPEC NOTICES.

Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.

PBOGN02-177

USE QNH

NDB-A or VOR-A  
**PARABURDOO, WA (YPBO)****23 MAR 2023****NOTES**

| CATEGORY   | A              | B               | C               | D |
|------------|----------------|-----------------|-----------------|---|
|            |                |                 |                 |   |
| CIRCLING * | 2340 (934-2.4) | 2500 (1094-4.0) | 2570 (1164-5.0) |   |
| ALTERNATE  | (1434-4.4)     | (1594-6.0)      | (1664-7.0)      |   |

- MAX IAS:  
INITIAL : 210KT.  
MAP TURN: 210KT.  
HOLDING : 210KT.
- NO CIRCLING S OF  
RWY 06/24 BEYOND  
3NM.
- COLOUR: SEE  
SPEC NOTICES.



Changes: UNICOM REMOVED.

PBONB01-174

USE QNH

VOR RWY 06  
PARABURDOO, WA (YPBO)

23 MAR 2023



## NOTES

| CATEGORY    | A              | B               | C               | D |
|-------------|----------------|-----------------|-----------------|---|
| S-I VOR/DME | 2080 (705-4.0) |                 |                 |   |
| CIRCLING*   | 2340 (934-2.4) | 2500 (1094-4.0) | 2570 (1164-5.0) |   |
| ALTERNATE   | (1434-4.4)     | (1594-6.0)      | (1664-7.0)      |   |

- MAX IAS:  
HOLDING: 210KT.  
INITIAL : 210KT.
- NO CIRCLING S OF  
RWY 06/24 BEYOND  
3NM.
- COLOUR: SEE  
SPEC NOTICES.



Changes: UNICOM REMOVED.

PBOVO01-174

USE QNH

VOR RWY 24  
PARABURDOO, WA (YPBO)

23 MAR 2023



| CATEGORY    | A              | B | C               | D               |
|-------------|----------------|---|-----------------|-----------------|
| S-I VOR/DME | 2100 (694-3.5) |   |                 |                 |
| CIRCLING*   | 2340 (934-2.4) |   | 2500 (1094-4.0) | 2570 (1164-5.0) |
| ALTERNATE   | (1434-4.4)     |   | (1594-6.0)      | (1664-7.0)      |

Changes: UNICOM REMOVED.

PBOV002-174