

AERODROME CHART

SUNRISE DAM, WA (YSRD)

FIA ML CEN 118.4	CTAF+AFRU 126.8	PAL 120.25	Bearings are Magnetic Elevations in FEET AMSL
---------------------	--------------------	---------------	--

The chart displays a runway (06/24) with PAPI lights at both ends. The runway is 1950 x 30 meters. The taxiway is shown with a blue edge. The scale bar indicates 1:30,000. The chart also shows the runway's magnetic heading (060°) and the taxiway's magnetic heading (240°). The chart includes a scale bar in meters (0 to 600) and a scale of 1:30,000. The chart also shows the runway's magnetic heading (060°) and the taxiway's magnetic heading (240°).

RWY	AERODROME LIGHTING
	TAXIWAY : BLUE EDGE RL : PAL 120.25, SDBY (MAN ACT, 3 HR PN), PTBL (EMERG ONLY, 90 MIN PN)
06 059 239 24	PAPI 3.0° 49FT LIRL PAPI 3.0° 49FT LIRL

NOTES



- FIA ML CEN 118.4 AVBL 3,500FT.
- AFRU NOT AVBL ON GROUND.

SRDAD01-184

USE QNH

RNP RWY 06

27 NOV 2025

SUNRISE DAM, WA (YSRD)**NOTES**

CATEGORY	A	B	C	D
LNAV	1860 (534-3.0)			NOT APPLICABLE
CIRCLING	2040 (690-2.4)		2270 (920-4.0)	
ALTERNATE	(1190-4.4)		(1420-6.0)	

1. MAX IAS:
INITIAL : 210KT.



Changes: MSA, DIST-ALT TABLE, Editorial.

SRDGN01-185

USE QNH

RNP RWY 24
SUNRISE DAM, WA (YSRD)

27 NOV 2025



NOTES

CATEGORY	A	B	C	D
LNAV	1930 (580-3.3)			NOT APPLICABLE
CIRCLING	2040 (690-2.4)		2270 (920-4.0)	
ALTERNATE	(1190-4.4)		(1420-6.0)	

1. MAX IAS:
INITIAL : 210KT.

Changes: MSA, DIST-ALT TABLE, FAF ALT.

SRDGN02-185