




RWY	AERODROME LIGHTING	
	TAXIWAY : BLUE EDGE ON TWY A, TWY B AND TWY C. RL : AFRU+PAL 126.9 , SDBY (6 SEC)	
09 086	PAPI 3.0° 41FT LIRL	
266 27	PAPI 3.0° 41FT LIRL	
05 051	NIL	
231 23	NIL	





NOTES

1. AWIS REQUIRES 1 SEC PULSE TO ACTIVATE.

GNSS ARRIVAL PROCEDURES WYNYARD, TAS (YWYY) Page 1

04 SEP 2025


AWIS 133.35	FIA ML CEN 122.6	CTAF+AFRU 126.9	AFRU+PAL 126.9		Bearings are Magnetic Elevations in FEET AMSL
----------------	---------------------	--------------------	-------------------	--	--



Changes: MINIMA IRSOM TO WYY.

WYYDG01-184

30 NOV 2023



RNP RWY 09
WYNYARD, TAS (YWYY)

AWIS 133.35 **FIA ML CEN 122.6** **CTAF+AFRU 126.9** **AFRU+PAL 126.9**

145 20 00E 145 30 00E 145 40 00E 145 50 00E

40 50 00S

13° E

UA2WC

156° 5NM

086° 5NM

UA2WB

086° 5NM

UA2WI

086° 5NM

UA2WF

086° 5.3NM

RW09

075°/4NM

UA2WH

300° 41 00 00S

7NM 076°

UA2WA

25 NM MSA

3100

B-080°

YVYYY ARP

B-265°

5600

10 NM MSA 3100

145 30 00E 145 40 00E 145 50 00E

41 10 00S

Scale 1:500,000

0 5NM

RNP APCH
RNAV/VNAV RQMNNTS:
 • YVYYY QNH RQ
 • YVYYY TEMP RQ
 • PROC TEMP RANGE
 -5°C TO +61°C

Holding at UA2WB

156°
266°
336°

TR IN	TURN	TIME	MIN ALT	DME LMT
086°	Left	1	4000	

AD ELEV 63
 Bearings are Magnetic
 Elevations in FEET AMSL

*** NO CIRCLING**

NM TO NEXT WPT	UA2WI	4	3	2	1	UA2WF	4	3	2	1.3	RW09		
ALT (3° APCH PATH)	3380	3060	2750	2430	2110	1790	1390	1070	760	530			

MISSED APPROACH:
AT RW09, TURN LEFT,
TRACK DCT TO UA2WH,
THEN TURN LEFT TRACK 360°.
CLIMB TO 3100ft.

1. MAX IAS:
INITIAL : 210KT.
- *2. NO CIRCLING SOUTH
OF RWY 09 / 27 &
RWY 05 / 23.



CATEGORY	A	B	C	D
LNAV/VNAV		530 (468-2.6)		NOT APPLICABLE
LNAV		760 (697-4.0)		
CIRCLING *	1170 (1107-2.4)		1270(1207-4.0)	
ALTERNATE	(1607-4.4)		(1707-6.0)	

WYYGN01-184

USE QNH

RNP RWY 27
WYNYARD, TAS (WYYY)

04 SEP 2025



NOTES

CATEGORY	A	B	C	D
LNAV	630 (598-3.4)			NOT APPLICABLE
CIRCLING*	1170 (1107-2.4)		1270(1207-4.0)	
ALTERNATE	(1607-4.4)		(1707-6.0)	

- MAX IAS:
INITIAL : 210KT.
HOLD : 210KT.
- NO CIRCLING SOUTH OF RWY 09 / 27 & RWY 05 / 23.



Changes: WPT NAMING CONVENTION, DIST-ALT TABLE, PROFILE VIEW.

WYYGN02-184

USE QNH

NDB RWY 27
WYNYARD, TAS (YWYY)

23 MAR 2023



NOTES

CATEGORY	A	B	C	D
S-I NDB	980 (948-5.0)			NOT APPLICABLE
CIRCLING*	1170 (1107-2.4)	1270 (1207-4.0)		
ALTERNATE	(1607-4.4)	(1707-6.0)		

- MAX IAS:
INITIAL :
CAT C 210KT.
- NO CIRCLING SOUTH
OF RWY 09/27 & RWY
05/23.

Changes: AD ELEV.

WYNYB03-174