




RWY	AERODROME LIGHTING	
	TAXIWAY : BLUE EDGE	
	RL : PAL+AA 119.6 , SDBY (15 SEC)	
12 128	LIRL	
308 30	LIRL	
18 173	NIL	
353 36	NIL	

NOTES


1. AWIS (PHONE) 07 3564 3710

04 SEP 2025

GNSS ARRIVAL PROCEDURES
CHARLEVILLE, QLD (YBCV)



FIA BN CEN 124.8	CTAF/UNICOM 126.7	PAL+AA 119.6			Bearings are Magnetic Elevations in FEET AMSL
---------------------	----------------------	-----------------	--	--	--

25 NM MSA




10 NM MSA 2600

REFERENCE WAYPOINT CV NDB
AWIS (PHONE) 07 3564 3710



AD ELEV 1003

ALL ROUTES
TO
CV NDB



NM TO CV NDB 25 15 10 5 4 0

CIRCLING MINIMA

A,B: 1780-2.4			C: 1880-4.0			D: 2050-5.0											
NM TO CV NDB	5	4	3	2.6	2.1	1.8											
ALT (3° APCH PATH)	2800	2480	2160	2050	1880	1780											

MISSED APPROACH:



CLIMB ON TRACK TO 2800FT.

USE QNH

RNP RWY 12

04 SEP 2025

CHARLEVILLE, QLD (YBCV)



NOTES

CATEGORY	A	B	C	D
LNAV	1480 (494-2.8)			
CIRCLING	1780 (777-2.4)	1880 (877-4.0)	2050 (1047-5.0)	
ALTERNATE	(1277-4.4)	(1377-6.0)	(1547-7.0)	

- MAX IAS:
INITIAL : 210KT.
- AWIS (PHONE)
07 3007 4160



Changes: CAT D CIRCLING AND ALTERNATE MINIMA.

BCVGN01-184

USE QNH

RNP RWY 30
CHARLEVILLE, QLD (YBCV)

04 SEP 2025



NOTES

CATEGORY	A	B	C	D
LNAV	1520 (517-2.9)			
CIRCLING	1780 (777-2.4)	1880 (877-4.0)	2050 (1047-5.0)	
ALTERNATE	(1277-4.4)	(1377-6.0)	(1547-7.0)	

1. MAX IAS:
INITIAL : 210KT.2. AWIS (PHONE)
07 3007 4160

Changes: CAT D CIRCLING AND ALTERNATE MINIMA.

BCVGN02-184

NDB-A
CHARLEVILLE, QLD (YBCV)

FIA
BN CEN 124.8

CTAF/UNICOM
126.7

PAL+AA
119.6

CV NDB 269

CAT A8B 339

CAT C&D 351

CAT A8B 339

1427

1201

26 20 00S

146 10 00E

146 20 00E

147°

147°

1260

1095

1075

1074

1520

26 30 00S

25 NM MSA

2800

CV NDB

10 NM MSA 2600

Scale 1:500,000

0 5NM

Holding at CV NDB

TR 339°

I 1

TIME 2800

AD ELEV 1003

NDB


049°

159°

229°

[illegible]

MISSED APPROACH:
TRACK 147°.
CLIMB TO 2800ft.



CATEGORY	A	B	C	D
CIRCLING	1780 (777-2.4)		1880 (877-4.0)	2050 (1047-5.0)
ALTERNATE	(1277-4.4)		(1377-6.0)	(1547-7.0)

1. MAX IAS:
INITIAL :
CAT C&D 210KT.
2. AWIS (PHONE)
07 3564 3710

BCVNB01-184