







GNSS ARRIVAL PROCEDURES
MANGALORE, VIC (YMNG)



20 MAR 2025

AWIS 128.825	FIA ML CEN 122.4	CTAF+AFRU 121.1	AFRU+PAL 121.1		Bearings are Magnetic Elevations in FEET AMSL
-----------------	---------------------	--------------------	-------------------	--	--



USE QNH

RNP RWY 23

MANGALORE, VIC (YMNG)**12 JUN 2025**

CATEGORY	A	B	C	D
RNAV/VNAV	820 (356-2.0)			
RNAV	1010 (543-3.1)			
CIRCLING *	1320(853-2.4)		1420(953-4.0)	1420(953-5.0)
ALTERNATE	(1353-4.4)		(1453-6.0)	(1453-7.0)

NOTES

- MAX IAS:
INITIAL : 210KT.
MISSED APCH
TURN : 200KT.
- * 2. NO CIRCLING IN SECTOR EAST OF RWY 18 / 36 AND STH EAST OF RWY 05 / 23.

Changes: D349 ADDED, Editorial.



MNGGN01-183

USE QNH

RNP RWY 18

12 JUN 2025

MANGALORE, VIC (YMNG)

**NOTES**

1. MAX IAS : 210KT
INITIAL : 210KT
- * 2. NO CIRCLING IN
SECTOR SOUTH EAST
OF RWYS 18 / 36 AND
05 / 23.
- # 3. HOLD AREA OVERLAY
YSHT NDB-A
PRESCRIBED ALT
ENSURES SEPARATION.
4. COLOUR: SEE SPEC
NOTICES.



CATEGORY	A	B	C	D
LNAV	990 (523-2.9)			NOT APPLICABLE
CIRCLING *	1320(853-2.4)		1420(953-4.0)	
ALTERNATE	(1353-4.4)		(1453-6.0)	

Changes: D349 ADDED, Editorial.

MNGGN02-183

USE QNH

RNP RWY 36

MANGALORE, VIC (YMNG)**12 JUN 2025****NOTES**

1. MAX IAS:
INITIAL : 210KT
- ★ 2. NO CIRCLING IN
SECTOR SOUTH EAST
OF RWY 18 / 36 AND
05 / 23.
3. COLOUR: SEE
SPEC NOTES.

Changes: D349 ADDED.

MNGGN03-183

VOR RWY 23
MANGALORE, VIC (YMNG)

AWIS 128.825 **FIA ML CEN 122.4** **CTAF+AFRU 121.1** **AFRU+PAL 121.1**

Bearings are Magnetic Elevations in FEET AMSL


Holding at MNG VOR

TR IN	TURN	TIME	MIN ALT	DME LMT
007°	Right	1	3900	

AD ELEV 467

[illegible]

TURN LEFT,
TRACK 196°.
CLIMB TO 3900ft.



1. MAX IAS :
HOLDING : 180KT.
INITIAL :
CAT C&D : 180KT.

*2. NO CIRCLING IN
SECTOR EAST OF RWY
18 / 36 AND ST EAST
OF RWY 05 / 23.

3. SEPARATION FM
R350A/B & R352 NOT
ASSURED WHEN
HLDG OR IN THE
MISSED APCH

CATEGORY	A	B	C	D
S-I VOR	1120 (653-3.7)			
CIRCLING *	1320 (853-2.4)		1420 (953-4.0)	1420 (953-5.0)
ALTERNATE	(1353-4.4)		(1453-6.0)	(1453-7.0)

MNGVO01-183