


21 MAR 2024

AD ELEV 1027
26 32 43S 148 46 30E

AERODROME CHART
ROMA, QLD (YROM)



RWY	AERODROME LIGHTING	
	TAXIWAY : BLUE EDGE RL : AFRU+PAL 126.95 , SDBY , PTBL	
18 182 002 36	PAPI 3.0° 49FT LIRL PAPI 3.0° 49FT LIRL	
09 092 272 27	NIL NIL	

NOTES


1. AWIS REQUIRES 1 SEC TRANSMIT PULSE.

Changes: AFRU+PAL.

ROMAD01-178

GNSS ARRIVAL PROCEDURES
ROMA, QLD (YROM)

21 MAR 2024





USE QNH

RNP RWY 18

21 MAR 2024

ROMA, QLD (YROM)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	1400 (403-2.3)			NOT APPLICABLE
LNAV	1600 (603-3.4)			
CIRCLING	1710 (683-2.4)	1940 (913-4.0)		
ALTERNATE	(1183-4.4)	(1413-6.0)		

1. MAX IAS:
INITIAL : 210KT.

Changes: AFRU+PAL.

ROMGN01-178

RNP RWY 36
ROMA, QLD (YROM)

AWIS 122.125 **FIA BN CEN 126.0** **CTAF+AFR 126.95** **AFRU+PAL 126.95**

RNP APCH
RNAV/VNAV RQMNNTS:
 • **YROM QNH RQ**
 • **YROM TEMP RQ**
 • **PROC TEMP RANGE**
 -5°C TO +59°C

Holding at ROMSB

TR IN	TURN	TIME	MIN ALT	DME LMT
002°	Left	1	3300	

AD ELEV 1027
 Bearings are Magnetic
 Elevations in FEET AMSL

NM TO NEXT WPT	1.8	1	R0MSF	4	3	2	1.7	1.1	RW36				
ALT (3° APCH PATH)	3300	3050	2730	2320	2010	1690	1600	1400					

IAF

IF ROMSI

FAF R0MSF

MAPt RW36

MAHF R0MSH

3300

2600

2600

2730

MDA

MAPt

TCH 50FT

THR 36 ELEV 1001

002°

3°

002°

002°

MISSED APPROACH:
 TRACK DCT TO R0MSH,
 THEN TRACK 002°
 CLIMB TO 3300ft.

NM TO RW36	15.3	10.3	5.3	0	2.7
------------	------	------	-----	---	-----

1. MAX IAS:
INITIAL : 210KT.



CATEGORY	A	B	C	D
LNAV/VNAV	1400 (399-2.2)			NOT APPLICABLE
LNAV	1600 (599-3.4)			
CIRCLING	1710 (683-2.4)		1940 (913-4.0)	
ALTERNATE	(1183-4.4)		(1413-6.0)	

ROMGN02-178

USE QNH

NDB RWY 36
ROMA, QLD (YROM)

21 MAR 2024



NOTES

CATEGORY	A	B	C	D
S-I NDB	1650 (649-3.7)			NOT APPLICABLE
CIRCLING	1710 (683-2.4)		1940 (913-4.0)	
ALTERNATE	(1183-4.4)		(1413-6.0)	

1. MAX IAS:
INITIAL : 210KT.

Changes: AFRU+PAL.

ROMNB01-178