


AD ELEV 656
28 02 59S 148 35 43E

AERODROME CHART

SAINT GEORGE, QLD (YSGE)



RWY	AERODROME LIGHTING	
	TAXIWAY : BLUE EDGE RL : AFRU+PAL 126.7 , SDBY (15 SEC)	
11 111	LIRL	
291 29	LIRL	

NOTES

Changes: TWY, APN, REMOVED PTBL LIGHTING.



SGEAD01-177

USE QNH

RNP RWY 11

16 JUN 2022

SAINT GEORGE, QLD (YSGE)



NOTES

1. MAX IAS:
INITIAL : 230KT.* 2. NO CIRCLING
BEYOND 3NM
NORTH OF
RWY 11/29.

CATEGORY	A	B	C	D
LNAV	1210 (554-3.1)			NOT APPLICABLE
CIRCLING*	1250 (594-2.4)		1350 (694-4.0)	
ALTERNATE	(1094-4.4)		(1194-6.0)	

Changes: CHART TITLE, PBN SPECIFICATION BOX.

SGEGN01-171

RNP RWY 29
SAINT GEORGE, QLD (YSGE)

FIA
BN CEN 118.95

CTAF+AFRU
126.7

AFRU+PAL
126.7

RNP APCH

Holding at SGEEB

148 30 00E 148 40 00E 148 50 00E

28 00 00S 28 10 00S

10° E

971 897 823 1348

SGEEH SGEEI SGEEF SGEEA SGEEB SGEEC

3NM 5NM 5NM 5NM 5NM

126° 291° 291° 221° 291° 001°

25 NM MSA 2400

YSGE ARP

10 NM MSA 2400

Scale 1:500,000 5NM

TR	IN	TURN	TIME	MIN	DME
				ALT	LMT
291°	Left	1		2400	

* NO CIRCLING


3 NM

AD ELEV 656

Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	SGEEM	1.3	2	3	4	SGEEF							
ALT (3° APCH PATH)		1210	1440	1760	2080	2400							

TRACK DCT TO SGEEH,
TURN LEFT,
TRACK 126°.
CLIMB TO 2400FT.



CATEGORY	A	B	C	D
LNAV	1210 (554-3.1)			NOT APPLICABLE
CIRCLING *	1250 (594-2.4)		1350 (694-4.0)	
ALTERNATE	(1094-4.4)		(1194-6.0)	

1. MAX IAS:
INITIAL : 230KT.
- * 2. NO CIRCLING
BEYOND 3NM
NORTH OF
RWY 11/29.



SGEGN02-171

USE QNH

NDB RWY 11

7 NOV 2019

SAINT GEORGE, QLD (YSGE)



NOTES

CATEGORY	A	B	C	D
S-I NDB	1250 (594-3.4)			NOT APPLICABLE
CIRCLING *	1250 (594-2.4)		1350 (694-4.0)	
ALTERNATE	(1094-4.4)		(1194-6.0)	

1. MAX IAS:
INITIAL : 210KT.* 2. NO CIRCLING
BEYOND 3NM
NORTH OF
RWY 11/29.

Changes: LOCATION NAME, COORD FORMAT.

SGENB01-161