





ATIS 120.9	APP/DEP (SY) 128.3/118.4, 129.7	TWR 123.6 132.8	SMC 119.9	FIA (AH) SY CEN 125.8	CTAF+AFRU (AH) 132.8	PAL+AA 125.95	Bearings are MAG ELEV in FT AMSL
RWY	AERODROME LIGHTING						
	ABN : FLG W 4 SEC TAXIWAY : GREEN CENTRELINE RL : PAL+AA, SDBY (3 SEC) , PTBL (EMERG ONLY, 60 MIN PN)						
11C ¹¹¹ 291 29C	PAPI 3.0° 25FT MIRL RTIL PTBL PAPI 3.0° 25FT MIRL RTIL PTBL						
11L ¹¹¹ 291 29R	PTBL PTBL						
11R ¹¹¹ 291 29L	NIL NIL						
NOTES							
1. FIA FREQ SUBJECT TO SHIELDING. USE IN OPEN AREAS WITH LINE OF SIGHT TO CONTROL TWR.							

STANDARD INSTRUMENT DEPARTURES (SID)
BANKSTOWN ONE DEPARTURE RWY 11C/29C
SYDNEY/BANKSTOWN, NSW (YSBK)

12 JUN 2025



Changes: CLIMB GRAD, Editorial.

SBKDP01-183

