






STANDARD INSTRUMENT DEPARTURE
WHITE CLIFFS ONE DEPARTURE
WHITE CLIFFS, NSW (YWHC)

21 MAY 2020

AWIS 128.45	FIA ML CEN 124.9	CTAF 126.7	PAL 120.05	BRG are MAG ELEV in FEET AMSL
----------------	---------------------	---------------	---------------	----------------------------------



SPEED
MAX IAS 250KT
BELOW 10,000FT



10 NM MSA 2000

WHITE CLIFFS ONE DEPARTURE

RWY 12

- GRAD 3.8% to 1200FT thence 3.3%
- Track 117°
- At or above 1200FT turn as required
- Continue climb to 2600FT
- Intercept flight plan route

RWY 30

- GRAD 3.3%
- Track 297°
- At or above 1200FT turn as required
- Continue climb to 2600FT
- Intercept flight plan route

NOTES

- NIL -





USE QNH

RNP RWY 12

04 SEP 2025

WHITE CLIFFS, NSW (YWHC)



CATEGORY	A	B	C	D
LNAV	1030 (518 - 2.9)			NOT APPLICABLE
CIRCLING	1410 (874 - 2.4)		1510 (974 - 4.0)	
ALTERNATE	(1374 - 4.4)		(1474 - 6.0)	



NOTES
 1. MAX IAS:
 INITIAL : 210KTS

Changes: CIRCLING MINIMA, ALTERNATE MINIMA, OBST 1014FT, Editorial

WHCGN01-184



04 SEP 2025

WHITE CLIFFS, NSW (YWHC)

CATEGORY	A	B	C	D
LNAV	1130 (594 - 3.4)			NOT APPLICABLE
CIRCLING	1410 (874 - 2.4)		1510 (974 - 4.0)	
ALTERNATE	(1374 - 4.4)		(1474 - 6.0)	

NOTES

1. MAX IAS:
INITIAL : 210KTS

Changes: CIRCLING MINIMA, ALTERNATE MINIMA, OBST 1014FT, Editorial

WHCGN02-184

