


AWIS 133.35	FIA ML CEN 122.6	CTAF+AFRU 126.9	AFRU+PAL 126.9	Bearings are Magnetic Elevations in FEET AMSL
----------------	---------------------	--------------------	-------------------	--







RWY	AERODROME LIGHTING	
	TAXIWAY : BLUE EDGE ON TWY A, TWY B AND TWY C. RL : AFRU+PAL 126.9 , SDBY (6 SEC)	
09 086	PAPI 3.0° 41FT LIRL	
266 27	PAPI 3.0° 41FT LIRL	
05 051	NIL	
231 23	NIL	

NOTES	
1. AWIS REQUIRES 1 SEC PULSE TO ACTIVATE.	

GNSS ARRIVAL PROCEDURES WYNYARD, TAS (YWYY) Page 1

04 SEP 2025

AWIS 133.35	FIA ML CEN 122.6	CTAF+AFRU 126.9	AFRU+PAL 126.9		Bearings are Magnetic Elevations in FEET AMSL
----------------	---------------------	--------------------	-------------------	--	--




Changes: MINIMA IRSOM TO WYY.

WYYDG01-184

GNSS ARRIVAL PROCEDURES
WYNYARD, TAS (YWYY) Page 2

30 NOV 2023





USE QNH

RNP RWY 09

04 SEP 2025

WYNYARD, TAS (YWYY)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV		530 (468-2.6)		NOT APPLICABLE
LNAV		760 (697-4.0)		
CIRCLING*	1170 (1107-2.4)		1270(1207-4.0)	
ALTERNATE		(1607-4.4)	(1707-6.0)	

- MAX IAS:
INITIAL : 210KT.
- NO CIRCLING SOUTH
OF RWY 09 / 27 &
RWY 05 / 23.

Changes: MINIMA, WPT NAMING CONVENTION, Editorial.

WYYGN01-184

RNP RWY 27
WYNYARD, TAS (YWYY)

TR	IN	TURN	TIME	MIN ALT	DME LMT
196°	Left	1	3100		

AD ELEV 63
Bearings are Magnetic
Elevations in FEET AMSL

NM TO RW27



CATEGORY	A	B	C	D	
LNAV	630 (598-3.4)			NOT APPLICABLE	
CIRCLING *	1170 (1107-2.4)		1270(1207-4.0)		
ALTERNATE	(1607-4.4)		(1707-6.0)		

- WYYGN02-184

USE QNH

NDB RWY 27
WYNYARD, TAS (YWYY)

23 MAR 2023



NOTES

CATEGORY	A	B	C	D
S-I NDB	980 (948-5.0)			NOT APPLICABLE
CIRCLING*	1170 (1107-2.4)		1270(1207-4.0)	
ALTERNATE	(1607-4.4)		(1707-6.0)	

- MAX IAS:
INITIAL :
CAT C 210KT.
- NO CIRCLING SOUTH
OF RWY 09/27 & RWY
05/23.

Changes: AD ELEV.

WYNYNB03-174