




RNP RWY 17
CHILLAGOE, QLD (YCGO)

FIA
BN CEN 120.15

CTAF+AFRU
126.7

AFRU+PAL
126.7

RNP APCH

Holding at CGONE

TR	TURN	TIME	MIN ALT	DME LMT
186°	Right	1	4600	

AD ELEV 1123
Bearings are Magnetic
Elevations in FEET AMSL

MISSED APPROACH:
TRACK DCT TO CGONH,
THENCE 186°
CLIMB TO 4600FT.

The diagram illustrates the missed approach profile for CGONH. It begins at THR 17 (ELEV 1097) and proceeds along a 186° heading. Key points and altitudes include:

- MAHF CGONH
- MAPt CGONM
- FAF CGONF at 3310 feet
- IF CGONI at 3900 feet
- IAF at 4600 feet
- MDA at 3000 feet

The profile shows a climb from 1097 feet to 4600 feet, with a 186° heading maintained until the IAF. The MDA is 3000 feet, and the IF altitude is 3900 feet.

CATEGORY	A	B	C	D
LNAV	1840 (743-4.2)		NOT APPLICABLE	
CIRCLING *	2220 (1097-2.4)			
ALTERNATE	(1597-4.4)			

* 1. NO CIRCLING EAST OF RWY 17/35.
2. COLOUR: SEE SPEC NOTICES.



CGOGN01-170

USE QNH

RNP RWY 35

24 MAR 2022

CHILLAGOE, QLD (YCGO)



NOTES

CATEGORY	A	B	C	D
LNAV (HJ ONLY)	2050 (927-5.0)		NOT APPLICABLE	
CIRCLING *	2220 (1097-2.4)			
ALTERNATE	(1597-4.4)			

1. MAX IAS:
MAP TURN : 130KT.
* 2. NO CIRCLING EAST OF RWY 17/35.
3. CIRCLING MNM ONLY DURING NIGHT OPS.
4. COLOUR: SEE SPEC NOTICES.

Changes: CHART TITLE, PBN SPECIFICATION BOX.

CGOGN02-170