





DME or GNSS ARRIVAL PROCEDURES
ESPERANCE, WA (YESP)

2 DEC 2021





Changes: 10 MSA, CIRCLING MINIMA, DIST/ALT TABLE, NO CIRCLING. ESPDG01-169

USE QNH

RNP RWY 11

21 MAR 2024

ESPERANCE, WA (YESP)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	810 (376-2.1)			
LNAV	990 (556-3.2)			
CIRCLING*	1120 (649-2.4)	1230 (759-4.0)	1260 (789-5.0)	
ALTERNATE	(1149-4.4)	(1259-6.0)	(1289-7.0)	

1. MAX IAS:

INITIAL : 210KT.

* 2. NO CIRCLING CAT C/D
STH OF RWY 11/29.



Changes: CAT C CIRCLING, MAG VAR, Editorial.

ESPGN01-178

USE QNH

RNP RWY 29
ESPERANCE, WA (YESP)

21 MAR 2024

**NOTES**

CATEGORY	A	B	C	D
LNAV/VNAV	810 (339-1.9)			
LNAV	990 (519-2.9)			
CIRCLING*	1120 (649-2.4)	1230 (759-4.0)	1260 (789-5.0)	
ALTERNATE	(1149-4.4)	(1259-6.0)	(1289-7.0)	

1. MAX IAS:
INITIAL : 210KT.
- * 2. NO CIRCLING CAT C/D
STH OF RWY 11/29.



Changes: CAT C CIRCLING, MAG VAR, Editorial.

ESPGN02-178

USE QNH

NDB RWY 11

21 MAR 2024

ESPERANCE, WA (YESP)**NOTES**

CATEGORY	A	B	C	D
S-I NDB	1040 (606-3.4)			
S-I NDB/DME	990 (556-3.1)			
CIRCLING *	1120 (649-2.4)		1230 (759-4.0)	1260 (789-5.0)
ALTERNATE	(1149-4.4)		(1259-6.0)	(1289-7.0)

 1. MAX IAS:
INITIAL : 210KT.

 * 2. NO CIRCLING CAT C/D
STH OF RWY 11/29.

Changes: CAT C CIRCLING, MAG VAR, Editorial.

ESPNB01- 178

NDB RWY 29
ESPERANCE, WA (YESP)

AWIS 123.05 **FIA ML CEN 133.2** **CTAF+AFRU 126.7** **PAL 121.3**

Bearings are Magnetic
Elevations in FEET AMSL

Holding at ESP NDB

TR	TURN	TIME	MIN ALT	DME LMT
123°	Left	1	2300	

25 NM MSA
2300
ESP NDB


10 NM MSA 2000

Scale 1:500,000 5NM

AD ELEV 471

DME DIST												
ALT					NOT APPLICABLE							

TRACK 283°.
CLIMB TO 2300ft.



NOTES

CATEGORY	A	B	C	D
S-I NDB	1040 (569-3.2)			
CIRCLING*	1120 (649-2.4)		1230 (759-4.0)	1260 (789-5.0)
ALTERNATE	(1149-4.4)		(1259-6.0)	(1289-7.0)

1. MAX IAS:
INITIAL : 180KT.



* 2. NO CIRCLING CAT C/D
STH OF RWY 11/29.

ESPNB02-178

USE QNH

VOR RWY 11
ESPERANCE, WA (YESP)

21 MAR 2024

**NOTES**

CATEGORY	A	B	C	D
S-I VOR	1040 (606-3.4)			
S-I VOR/DME	990 (556-3.1)			
CIRCLING*	1120 (649-2.4)	1230 (759-4.0)	1260 (789-5.0)	
ALTERNATE	(1149-4.4)	(1259-6.0)	(1289-7.0)	

1. MAX IAS:
INITIAL : 210KT.* 2. NO CIRCLING CAT C/D
STH OF RWY 11/29.

Changes: CAT C CIRCLING, MAG VAR, Editorial.

ESPVO01-178

VOR RWY 29
ESPERANCE, WA (YESP)

ESP VOR
VOR 114.2

AD ELEV 471

TR	INTURN	TIME	MIN ALT	DME LMT
136°	Left	1	2300	

Scale 1:500,000
0 5NM

25 NM MSA
2300
ESP VOR

10 NM MSA 2000


Scale 1:500,000
0 5NM

AD ELEV 471

***NO CIRCLING CAT C/D**

DME DIST											
ALT				NOT APPLICABLE							

TRACK 295°.
CLIMB TO 2300ft.



CATEGORY	A	B	C	D
S-I VOR	1040 (569-3.2)			
CIRCLING*	1120 (649-2.4)		1230 (759-4.0)	1260 (789-5.0)
ALTERNATE	(1149-4.4)		(1259-6.0)	(1289-7.0)

1. MAX IAS:
INITIAL : 180KT.
- * 2. NO CIRCLING CAT C/D
STH OF RWY 11/29.

ESPVO02-178