


19 MAR 2026

AD ELEV 53  
13 58 24S 136 27 39E

AERODROME CHART  
**GROOTE EYLANDT, NT (YGTE)**



|                              |  |
|------------------------------|--|
|                              | <b>AERODROME LIGHTING</b>                            |
| <b>RWY</b>                   | RL : AFRU+PAL 126.0, SDBY (30 SEC), PTBL (90 MIN PN) |
| <b>10</b> <small>095</small> | PAPI 3.0° 46FT LIRL PTBL                             |
| <small>275</small> <b>28</b> | PAPI 3.0° 41FT LIRL PTBL                             |

**NOTES**

1. AWIS ACTIVATED BY ONE ONE-SEC TRANSMISSION.
2. PAPI MAY NOT PROVIDE STD WHEEL CLR FOR ACFT IN THE 5M < 8M EYE-TO-WHEEL HEIGHT GROUP.

Changes: RWY 10 THR EYE HEIGHT, NOTE 2 ADDED, Editorial.


GTEAD01-186

# DME or GNSS ARRIVAL PROCEDURES GROOTE EYLANDT, NT (YGTE)

15 AUG 2019

|                       |                     |                           |                          |  |  |
|-----------------------|---------------------|---------------------------|--------------------------|--|--|
| AWIS<br><b>128.65</b> | FIA<br>BN CEN 122.2 | CTAF+AFRU<br><b>126.0</b> | AFRU+PAL<br><b>126.0</b> |  | Bearings are Magnetic<br>Elevations in FEET AMSL |
|-----------------------|---------------------|---------------------------|--------------------------|--|--|


25 NM MSA



1900

GTE  
NDB

**DME USING GTE DME  
REFERENCE WAYPOINT GTE NDB**




GTE ---

NDB 407

DME 114.8

10 NM MSA 1900

AD ELEV 53



|                                      |               |   |      |      |             |     |        |                              |                              |
|--------------------------------------|---------------|---|------|------|-------------|-----|--------|------------------------------|------------------------------|
| <b>ALL ROUTES<br/>TO<br/>GTE NDB</b> | △             |  |      |      |             |     |        | <b>MISSED APPROACH:</b>      | CLIMB ON TRACK<br>TO 1900FT. |
|                                      | NM TO GTE NDB | 25  | 15   | 9    | 5           | 2   | 0      | CLIMB ON TRACK<br>TO 1900FT. |                              |
| <b>CIRCLING MINIMA</b>               |               | A,B: 910-2.4  |      |      | C: 1070-4.0 |     | D: N/A |                              |                              |
| NM TO GTE NDB                        | 4.2           | 4   | 3    | 2    | 1.6         | 1.1 |        |                              |                              |
| ALT (3° APCH PATH)                   | 1900          | 1830  | 1520 | 1200 | 1070        | 910 |        |                              |                              |

USE QNH

RNP RWY 10

27 NOV 2025

GROOTE EYLANDT, NT (YGTE)



**NOTES**

| CATEGORY  | A                    | B | C                      | D                 |  |
|-----------|----------------------|---|------------------------|-------------------|--|
| LNAV/VNAV | <b>360</b> (331-1.8) |   |                        | NOT<br>APPLICABLE |  |
| LNAV      | <b>560</b> (531-3.0) |   |                        |                   |  |
| CIRCLING  | <b>910</b> (857-2.4) |   | <b>1070</b> (1017-4.0) |                   |  |
| ALTERNATE | (1357-4.4)           |   | (1517-6.0)             |                   |  |

1. MAX IAS:  
INITIAL : 210KT.

Changes: MINIMA, TWR removed.



GTEGN01-185

USE QNH

RNP RWY 28

27 NOV 2025

GROOTE EYLANDT, NT (YGTE)



**NOTES**

1. MAX IAS:  
INITIAL : 210KT.

| CATEGORY  | A                    | B                    | C                      | D                 |
|-----------|----------------------|----------------------|------------------------|-------------------|
| LNAV/VNAV |                      | <b>600</b> (549-3.1) |                        | NOT<br>APPLICABLE |
| LNAV      |                      | <b>860</b> (807-4.6) |                        |                   |
| CIRCLING  | <b>910</b> (857-2.4) |                      | <b>1070</b> (1017-4.0) |                   |
| ALTERNATE |                      | (1357-4.4)           | (1517-6.0)             |                   |

Changes: TWR removed.



GTEGN02-185

USE QNH

NDB RWY 10

27 NOV 2025

GROOTE EYLANDT, NT (YGTE)



**NOTES**

- 1. MAX IAS:  
INITIAL : 210KT.

| CATEGORY    | A                    | B | C                      | D                 |
|-------------|----------------------|---|------------------------|-------------------|
| S-I NDB/DME | <b>600</b> (571-3.2) |   |                        | NOT<br>APPLICABLE |
| S-I NDB     | <b>650</b> (621-3.5) |   |                        |                   |
| CIRCLING    | <b>910</b> (857-2.4) |   | <b>1070</b> (1017-4.0) |                   |
| ALTERNATE   | (1357-4.4)           |   | (1517-6.0)             |                   |

Changes: CAT C OUTBOUND TRACK, TWR REMOVED.

GTEB01-185