


19 MAR 2026

AD ELEV 305
34 31 53S 144 49 47E

AERODROME CHART
HAY, NSW (YHAY)



	AERODROME LIGHTING
RWY	TAXIWAY : BLUE EDGE RL : PAL 119.6, PTBL (EMERG ONLY, 60 MIN PN)
04 <small>033</small>	LIRL
<small>213</small> 22	LIRL
15 <small>144</small>	NIL
<small>324</small> 33	NIL

NOTES

1. AWIS (PHONE) 02 9353 6426
2. FIA FREQ 118.6 AVBL CIRCUIT AREA.



Changes: VAR.

HAYAD01-186


USE QNH

RNP RWY 04
HAY, NSW (YHAY)

19 MAR 2026




TR	IN	TURN	TIME	MIN ALT	DME LMT
033°	Left	1	2300		



AD ELEV 305
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	1.1	1	HX2SF	4	3	2	1.4	RWY04
ALT (3° APCH PATH)	2300	2260	1950	1630	1310	990	790	



MISSED APPROACH:
TRACK DCT TO HX2SH,
THEN TRACK 033°,
CLIMB TO 2300ft.

NOTES

CATEGORY	A	B	C	D
LNAV	790 (485-2.7)			NOT APPLICABLE
CIRCLING	1000 (695-2.4)	1100 (795-4.0)		
ALTERNATE	(1195-4.4)		(1295-6.0)	

- MAX IAS:
INITIAL : 210KT.
- AWIS (PHONE)
02 9353 6426


Changes: VAR, MSA, SEGMENT MNM SAFE ALT, Editorial.

HAYGN01-186


USE QNH

RNP RWY 22
HAY, NSW (YHAY)

19 MAR 2026




TR	IN	TURN	TIME	MIN ALT	DME LMT
213°	Left	1		2300	



AD ELEV 305
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	RW22	1.6	2	3	4	HX2NF	1	1.1			
ALT (3° APCH PATH)		860	990	1310	1630	1950	2260	2300			



NOTES

CATEGORY	A	B	C	D
LNAV	860 (555-3.1)			NOT APPLICABLE
CIRCLING	1000 (695-2.4)		1100 (795-4.0)	
ALTERNATE	(1195-4.4)		(1295-6.0)	

- MAX IAS: INITIAL : 210KT.
- AWIS (PHONE) 02 9353 6426

Changes: VAR, MSA, LNAV MINIMA, Editorial.

HAYGN02-186