

AERODROME CHART

KARLAWINDA MINE, WA (YKWA)

FIA ML CEN 123.4		CTAF 122.0	Bearings are Magnetic Elevations in FEET AMSL	
---------------------	--	---------------	--	--

120 08 00E

23 47 00S

120 08 00E

RWY	AERODROME LIGHTING	
	RL : PTBL (EMERG ONLY , 90 MIN PN)	
01 007	PAPI 3.0° 51FT PTBL	
187 19	PAPI 3.0° 51FT PTBL	

NOTES

1. MANUALLY ACTIVATED 2HR PN. PAPI INTENSITY IS MANUALLY CONTROLLED.
CTC AD REPORTING OFFICER (ARO) VIA CTAF 122.0



KWAAD01-185

USE QNH

RNP RWY 01

27 NOV 2025

KARLAWINDA MINE, WA (YKWA)



NOTES

- MAX IAS:
INITIAL: 210KT
MAP TURN: 210KT
- *2. NO CIRCLING WEST
OF RWY 01/19
- CAUTION:** YNWN
PROCS ADJACENT
TO NW
- CAUTION:** BLASTING
REFER ERSA

CATEGORY	A	B	C	D
LNAV	2420 (509 - 2.9)			NOT AUTHORISED
* CIRCLING	2550 (622-2.4)	2690(762-4.0)		
ALTERNATE	(1122-4.4)		(1262-6.0)	

Changes: EDITORIAL



KWAGN01-185

27 NOV 2025

USE QNH

RNP RWY 19

KARLAWINDA MINE, WA (YKWA)



NOTES

1. MAX IAS:
INITIAL: 210KT
- *2. NO CIRCLING WEST
OF RWY 01/19
3. **CAUTION:** PROC
OVERLAID BY
PROCS AT YNNW.
PRESCRIBED
MAXIMUM ALTITUDES
ENSURE SEPARATION
3. **CAUTION:** BLASTING
REFER ERSA

CATEGORY	A	B	C	D
				NOT AUTHORISED
LNAV	2470 (542 - 3.1)			
* CIRCLING	2550 (622-2.4)			
ALTERNATE	(1122-4.4)			
				(1262-6.0)

Changes: ADD OBST 2415FT, EDITORIAL

KWAGN02-185