


7 SEP 2023

AD ELEV 627
23 26 03S 144 16 49E

AERODROME CHART
LONGREACH, QLD (YLRE)



GNSS ARRIVAL PROCEDURES LONGREACH, QLD (YLRE)

15 AUG 2019

FIA BN CEN 122.1	CTAF+AFRU 126.7	AFRU+PAL 126.7			Bearings are Magnetic Elevations in FEET AMSL
---------------------	--------------------	-------------------	--	--	--

25 NM MSA

2300

LRE NDB

REFERENCE WAYPOINT LRE NDB

AWIS (PHONE) 07 3564 3723

3 NM

LRE : NDB 353

* NO CIRCLING N OF RWY 04/22 BEYOND 3 NM.

10 NM MSA 2300

AD ELEV 627

SECTOR A

MISSED APPROACH:

CLIMB ON TRACK TO 2300FT.

NOTE: REMAIN CLEAR OF R608.

NM TO LRE NDB	25	15	12	5	3	0										
CIRCLING MINIMA				A,B: 1310-2.4		C: 1410-4.0		D: N/A								
NM TO LRE NDB	5.6	5	4	3	2.8	2.5										
ALT (3° APCH PATH)	2300	2100	1780	1470	1410	1310										

SECTOR B

MISSED APPROACH:



CLIMB ON TRACK TO 2300FT.

NM TO LRE NDB	25	15	11	5	0											
CIRCLING MINIMA				A,B: 1710-2.4		C: 1710-4.0		D: N/A								
NM TO LRE NDB	4.5	4	3	2.7												
ALT (3° APCH PATH)	2300	2140	1820	1710												

USE QNH

RNP RWY 04
LONGREACH, QLD (YLRE)

16 JUN 2022



NOTES

- MAX IAS:
INITIAL : 210KT.
- NO CIRCLING NW
OF RWY 04/22
BEYOND 3NM.
- CAUTION: R608 H24
- AWIS PHONE
07 3564 3723

CATEGORY	A	B	C	D
LNAV	1140 (513-2.9)			NOT APPLICABLE
CIRCLING *	1250 (623-2.4)		1410 (783-4.0)	
ALTERNATE	(1123-4.4)		(1283-6.0)	



Changes: CHART TITLE, PBN SPECIFICATION BOX.

LREGN01-171

USE QNH

RNP RWY 22
LONGREACH, QLD (YLRE)

16 JUN 2022



NOTES

- MAX IAS:
INITIAL : 210KT.
- NO CIRCLING NW
OF RWY 04/22
BEYOND 3NM.
- CAUTION:** R608 H24
- AWIS PHONE
07 3564 3723

CATEGORY	A	B	C	D
LNAV	1140 (513-2.9)			NOT APPLICABLE
CIRCLING *	1250 (623-2.4)		1410 (783-4.0)	
ALTERNATE	(1123-4.4)		(1283-6.0)	


Changes: CHART TITLE, PBN SPECIFICATION BOX.

LRGN02-171

NDB-A


15 AUG 2019

LONGREACH, QLD (YLRE)

[illegible]

MISSED APPROACH:

TRACK 227°. AT 1500FT TURN RIGHT. TRACK DCT TO LRE NDB. CLIMB TO 2300FT



NOTES

1. MAX IAS:
INITIAL : 210KT.
80/260 REVERSAL: 210KT.
- *2. NO CIRCLING N
OF RWY 04/22
BEYOND 3NM.
- **3. PROC TURN
(80°/260°)REQD TO
JOIN PROC FROM
HOLD.
4. AWIS PHONE
07 3564 3723

CATEGORY	A	B	C	D
				NOT APPLICABLE
CIRCLING *	1250 (623-2.4)		1410 (783-4.0)	
ALTERNATE	(1123-4.4)		(1283-6.0)	

Changes: MAG VAR. TRACK BRGS. CO-ORD FORMAT. CAT C CIRCLING NMN. NOTE 4. Editorial.

LRENB01-160

NDB RWY 04
LONGREACH, QLD (YLRE)

FIA
BN CEN 122.1

CTAF+AFRU
126.7

AFRU+PAL
126.7

144 10 00E

144 20 00E

23 20 00S

23 30 00S

1134

1306

909

1056

23 30 00S

25 NM MSA

2300

LRE NDB

R608 8200 SFC H24

144 10 00E

144 20 00E

0 5NM

Scale 1:500,000

068°

178°

358°

Holding at LRE NDB

TR	INTURN	TIME	MIN ALT	DME LMT
248°	Right	1	2300	

*** NO CIRCLING**

3 NM

NDB

AD ELEV 627

DME DIST																			
ALT																			

NOT APPLICABLE

MISSED APPROACH:
 TRACK 047°
 CLIMB TO 2300FT

THR 04 ELEV 626

1. MAX IAS:
INITIAL :
CAT A&B 140KT.
CAT C 180KT.
*2. NO CIRCLING N
OF RWY 04/22
BEYOND 3NM.
3. AWIS PHONE
07 3564 3723

CATEGORY	A	B	C	D
S-I NDB	1250 (623-3.5)			NOT APPLICABLE
CIRCLING*	1250 (623-2.4)		1410 (783-4.0)	
ALTERNATE	(1123-4.4)		(1283-6.0)	

LRENB02-160