






USE QNH

RNP RWY 14

12 JUN 2025

PORMPURAAW, QLD (YPMP)



NOTES

CATEGORY	A	B	C	D
LNAV	550 (539-3.1)			NOT APPLICABLE
CIRCLING *	750 (739-2.4)		850 (839-4.0)	
ALTERNATE	(1239-4.4)		(1339-6.0)	

1. MAX IAS:
INITIAL : 210KT.*2. NO CIRCLING E
OF RWY 14/32.

Changes: RWY THR ELEV, Editorial.

PMPGN01-183

RNP RWY 32
PORMPURA AW, QLD (YPMP)

FIA
BN CEN 118.2

CTAF+AFRU
126.7

AFRU+PAL
126.7

RNP APCH


Holding at PM2SB

TR IN	TURN	TIME	MIN ALT	DME LMT
325°	Right	1	2100	

AD ELEV 11
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	PM2SM	0.4	1	2	3	4	PM2SF	0.2						
ALT (3° APCH PATH)		570	760	1080	1400	1720	2030	2100						

TRACK DCT TO PM2SH,
THEN TURN LEFT,
TRACK 170°.
CLIMB TO 1500FT.



CATEGORY	A	B	C	D	
LNAV	570 (559-3.2)			NOT APPLICABLE	
CIRCLING *	750 (739-2.4)		850 (839-4.0)		
ALTERNATE	(1239-4.4)		(1339-6.0)		

1. MAX IAS:
INITIAL : 210KT.
* 2. NO CIRCLING E
OF RWY 14 /32.

PMPGN02-175