

20 MAR 2025

21 02 09S 118 38 37E

PORT HEDLAND/WODGINA, WA (YWGA)

FIA ML CEN 118.6	CTAF+AFRU 126.7	UNICOM 132.225	PAL+AA 120.6	Bearings are Magnetic Elevations in FEET AMSL
---------------------	--------------------	-------------------	-----------------	--

	AERODROME LIGHTING	
RWY	TWY : BLUE EDGE RL : PAL 120.6 , SDBY (6 SEC).	
09 095	PAPI LEFT SIDE 3.0° 53FT LIRL PTBL	
275 27	PAPI LEFT SIDE 3.0° 53FT LIRL PTBL	


NOTES

- * 1. RWY GROOVED - 30M WIDE.
- 2. UNICOM CALL SIGN "WODGINA UNICOM".
AVBL FOR SCHEDULED MOVEMENTS.
- 3. FIA FREQ 118.6 AVBL IN CIRCUIT AREA.
- 4. RWY 09/27 PTBL LIGHTING AVBL WITH 2HR PN.

Changes: PAL+AA, SWITCHOVER TIME, Editorial.

WGAD01-182

USE QNH RNP RWY 09
PORT HEDLAND / WODGINA, WA (YWGA)



NM TO NEXT WPT	1.6	1	ZA2WF	4	3	2	1.4	RW09				
ALT (3° APCH PATH)	2600	2420	2100	1720	1410	1090	910					

MISSED APPROACH:
 TRACK DCT TO ZA2WH
 THEN TRACK 095°
 CLIMB TO 2600FT

IAF

IF
ZA2WI

FAF
ZA2WF

MAPt
RW09

MAHF
ZA2WH

2600

ZA2WA
ZA2WB
ZA2WC

1900

1400

MDA

MAPt

THR 09 ELEV 400

NM TO RW09

15.2

10.2

5.2

0

4.0

095°

3°

095°

095°

1. MAX IAS :
INITIAL : 210KT

*2. NO CIRCLING
SOUTH OF
RWY 09/27



CATEGORY	A	B	C	D
LNAV	910 (510-3.0)			NOT APPLICABLE
CIRCLING *	1010 (599-2.4)		1110 (699-4.0)	
ALTERNATE	(1099-4.4)		(1199-6.0)	

WGAGN01-182

20 MAR 2025

USE QNH
PORT HEDLAND / WODGINA, WA (YWGA)

RNP RWY 27



NOTES

1. MAX IAS :
INITIAL : 210KT
- *2. NO CIRCLING
SOUTH OF
RWY 09/27
3. **CAUTION:**
BLASTING 15NM
E OF RWY 09/27
REFER ERSA

CATEGORY	A	B	C	D
LNAV	960 (549-3.2)			NOT APPLICABLE
CIRCLING *	1010 (599-2.4)		1110 (699-4.0)	
ALTERNATE	(1099-4.4)		(1199-6.0)	

Changes: PAL+AA

WGAGN02-182