





GNSS ARRIVAL PROCEDURES
SWAN HILL, VIC (YSWH)

30 NOV 2023

FIA ML CEN 125.8	CTAF+AFRU 119.1	PAL 120.6			Bearings are Magnetic Elevations in FEET AMSL
---------------------	--------------------	--------------	--	--	--


25 NM MSA



10 NM MSA 2000

REFERENCE WAYPOINT SWH NDB

AWIS (PHONE) 03 8470 3221




AD ELEV 234

ALL TRACKS

TO

SWH NDB



NM TO SWH NDB 25 15 7 5 0

CIRCLING MINIMA

				A,B: 970-2.4		C: 1060-4.0		D: N/A							
NM TO SWH NDB	6.2	6	5	4	3.2	3	2.9								
ALT (3° APCH PATH)	2000	1960	1640	1320	1060	1000	970								

MISSED APPROACH:

CLIMB ON TRACK TO 2000FT.

RNP RWY 26
SWAN HILL, VIC (YSWH)

FIA ML CEN 125.8 **CTAF+AFRU 119.1** **PAL 120.6**

RNP APCH

Holding at SW2EB

TR	TURN	TIME	MIN ALT	DME LMT
261°	Right	1	2000	

AD ELEV 234
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	SW2EM	1.5	2	3	4	SW2EF	0.1						
ALT (3° APCH PATH)		840	1000	1320	1640	1960	2000						

TRACK DCT TO SW2EH.
THEN TRACK 261°.
CLIMB TO 2000FT.

MAHF SW2EH

MAPt SW2EM

FAF SW2EF

IF SW2EI

IAF

2000

1700

1700

1960

3°

261°

261°

261°

THR 26 ELEV 229

MAPt

MDA

NM TO SW2EM

3

0.3

0

5

10

15

SW2EA
SW2EB
SW2EC

CATEGORY	A	B	C	D
LNAV	840 (606-3.4)			NOT APPLICABLE
CIRCLING	890 (656-2.4)		1060 (826-4.0)	
ALTERNATE	(1156-4.4)		(1326-6.0)	

1. MAX IAS:
INITIAL : 210KT.
2. AWIS (PHONE)
03 8470 3221



SWHGN01-175

USE QNH

NDB-A

17 JUN 2021

SWAN HILL, VIC (YSWH)



NOTES

CATEGORY	A	B	C	D
				NOT APPLICABLE
CIRCLING	890 (656-2.4)		1060 (826-4.0)	
ALTERNATE	(1156-4.4)		(1326-6.0)	

- MAX IAS:
INITIAL : 210KT.
- AWIS (PHONE)
03 8470 3221

Changes: RWY 15/33 DCMSD.

SWHNB01-167