


13 JUN 2024


AD ELEV 1652
26 37 45S 120 13 14E

AERODROME CHART
WILUNA, WA (YWLU)



GNSS ARRIVAL PROCEDURES
WILUNA, WA (YWLU)



20 MAR 2025



USE QNH

RNP RWY 15
WILUNA, WA (YWLU)

20 MAR 2025



NOTES

CATEGORY	A	B	C	D
LNAV	2250 (598-3.4)			NOT APPLICABLE
CIRCLING	2290 (638-2.4)		2450 (798-4.0)	
ALTERNATE	(1138-4.4)		(1298-6.0)	

- MAX IAS:
INITIAL : 210KT.
HOLDING : 190KT.
- AWIS (PHONE):
08 6216 2641



Changes: MSA.

WLUGN01-182

USE QNH

RNP RWY 33
WILUNA, WA (YWLU)

20 MAR 2025



NOTES

CATEGORY	A	B	C	D
LNAV	2250 (624-3.5)			NOT APPLICABLE
CIRCLING	2290 (638-2.4)		2450 (798-4.0)	
ALTERNATE	(1138-4.4)		(1298-6.0)	

1. MAX IAS:
INITIAL : 210KT.
2. AWIS (PHONE):
08 6216 2641

Changes: MSA.

WLUGN02-182

NDB RWY 33
WILUNA, WA (YWLU)

WLU NDB 383

25 NM MSA
 B-215° 3600
 B-245° 3600

10 NM MSA 3300

Scale 1:500,000
 0 5NM

Holding at WLU NDB


Bearings are Magnetic Elevations in FEET AMSL

TR	INTURN	TIME	MIN ALT	DME LMT
119°	Left	1	3400	

AD ELEV 1652

[illegible]

TRACK 331°. CLIMB TO 3400ft.



NOTES

CATEGORY	A	B	C	D
S-I NDB	2250 (624-3.5)			NOT APPLICABLE
CIRCLING	2290 (638-2.4)		2450 (798-4.0)	
ALTERNATE	(1138-4.4)		(1298-6.0)	

1. MAX IAS:
INITIAL :
CAT C 210KT.
2. AWIS (PHONE):
08 6216 2641

WLUNB01-182