

**GINGIN****ELEV 247****AVFAX CODE 6021**

WA

UTC +8

YGIG

312755S


1155148E

VAR 1 DEG W

MIL

AD OPR RAAF, Air Base Command Post - RAAF Base Pearce, Bullsbrook, WA, 6084. Email:

pea.abcp@defence.gov.au. PH 08 9571 7888. Mobile 0419 273 062.

**REMARKS**

- Operations for ACFT BLW 15,000KG. PPR for civil ACFT. RFFS during RAAF training HO. Occasional civil JF training. HEL operate from tarmac.
- 0030-0830 UTC MON-THU; 0030-0630 UTC FRI. FAC may be unmanned during promulgated HR

**HANDLING SERVICES AND FACILITIES**

All PEARCE listings AVBL. PN to PEARCE.

**RESCUE AND FIREFIGHTING SERVICES**

CAT 4 HO only. CTC Pearce SNCOIC Fire 08 9571 7666 or SARO 08 9571 7120.

**APRONS AND TAXIWAYS**

Parking bays on TWY B and C are within RWS.

**SURFACE MOVEMENT GUIDANCE**

Distance marker boards. CWY 3,000FT X 150FT, overrun 1,000FT.

TWY B, C, F and G painted HLDG PTS not coincident with TWY lighting HLDG PTS. Painted HLDG PTS aligned with RWS gable markers. Lit HLDG PTS are inside RWS.

**AERODROME OBSTACLES**

- Unlit and marked communications tower 896FT AMSL BRG 027 MAG 6.9NM FM ARP. Infringes outer HZS by 164FT.
- Unlit communications tower 810FT AMSL BRG 027 MAG 6.9NM FM ARP. Infringes outer HZS by 79FT.
- Lit ATC radar tower 774FT AMSL BRG 041 MAG 5.6NM FM ARP. Infringes outer HZS by 43FT.
- Various OBST infringing OLS. CTC AD OPR for details.

**METEOROLOGICAL INFORMATION PROVIDED**

- TAF CAT C. METAR/SPECI.
- AWIS Phone 08 6216 2616 - Report faults to BoM.
- MET INFO AVBL FM Airservices pilot briefing. Elaborative briefing FM Defence MO 08 9571 7125 when staffed.

**PHYSICAL CHARACTERISTICS**

08/26 076 60a PCN 11 /F /A /1750 (254PSI) /T F28 WID 45 RWS 230

**ARRESTING GEAR**

|        |          |       |          |        |
|--------|----------|-------|----------|--------|
| RWY 08 | M34B(R)  | ----- | M34B (R) | RWY 26 |
|        | 30 (100) |       | 30 (100) |        |
|        | OVRN     |       | OVRN     |        |

- Routine servicing for M34B  
MON-THU - 2200-0000 UTC  
FRI - 2200-0030 UTC  
WAE will require 15 MIN notice to vacate RWY.
- Nil RESA AVBL due M34B barrier infrastructure infringement on overrun SFC.
- Barriers equipped with flashing red LGT located either side of barrier. If LGT are visible on final APCH, landing is being attempted over raised barrier.
- M34B arrestor system is only made AVBL on request (24HR PN), and operated when TWR is active.

**AERODROME AND APPROACH LIGHTING**

|           |         |             |               |
|-----------|---------|-------------|---------------|
| RWY 08/26 | LIRL    |             | SDBY PWR AVBL |
| RWY 08/26 | PAPI(1) | 3.0 DEG28FT | SDBY PWR AVBL |

(1) Both sides.

Light signals may not be visible to ACFT under high ambient light conditions.

**ATS AND AERODROME COMMUNICATION FACILITIES**

|      |                 |        |                                   |
|------|-----------------|--------|-----------------------------------|
| FIA  | PERTH CENTRE    | 135.25 | Circuit area (Outside GIG TWR HR) |
| APP  | PEARCE APPROACH | 130.2  |                                   |
| SMC  | GINGIN GROUND   | 267.0  |                                   |
| SMCV | GINGIN GROUND   | 121.65 |                                   |
| TWR  | GINGIN TOWER    | 118.5  | 243.0 (1) 372 (2)                 |

(1) EMERG FREQ guarded

(2) Transmits voice in EMERG to ACFT with COM failure.

All ATS HO.

**RADIO NAVIGATION AND LANDING AIDS**

|     |                |           |            |                   |     |
|-----|----------------|-----------|------------|-------------------|-----|
| NDB | GIG 372        | 312735.0S | 1155156.0E | Range 100 (HN 75) | (1) |
| TAC | PEA 112.8/ 75X | 314026.0S | 1160103.0E |                   | (2) |

(1) Pilot monitored when TWR unmanned - 203/0.4 to ARP.

(2) 343/0.39 to PEARCE ARP, 329/14.79 to GINGIN ARP - LIMITATION: Reception unreliable BTN 020-150 BLW 12000FT due to terrain shielding and signal reflections. Range and BRG unlocks 325 to 350 at 35NM and at 45NM BTN 3000-4000FT. Limited due BRG oscillations of up to +/- 6 DEG BTN 35NM and 45NM at 2600FT on 190 radial. SUBJ INTRP cone of silence 067 DEG instead of 060 DEG. Information loss may be longer than expected.

**FLIGHT PROCEDURES**

- Right hand CCTS RQ when OPR RWY 08.
- AIR TRAFFIC SERVICES**
  - Class D ATS provided to MIL and AUTH CIV ACFT in accordance with Air Command Standing Instructions OPS 03-16 within Pearce RA.
  - Other ACFT receive class C ATS with respect to all ACFT in Pearce RA. Class C VMC applies for all ACFT in Pearce RA, excluding Pearce and Gingin circuit area where class D VMC applies to MIL and AUTH CIV ACFT.
- REMOTELY PILOTED AIRCRAFT SYSTEMS (RPAS)**
  - See Pearce (YPEA) FAC for all RPAS requests in Pearce Restricted Areas.

**CTAF - AFRU 118.5****ADDITIONAL INFORMATION**

- Animal hazards exists.
- Wildlife management program ACT in VCY of AD. 10MIN PN RQ to vacate movement areas. Activity will be de-conflicted with planned flying. CS 'CHASER', PH 0407 232 172.

---

**CHARTS RELATED TO THE AERODROME**

1. WAC 3351, 3462.
  2. MIL Aerodrome Obstruction Chart Type A: NOV 2017.
-