


## CESSNOCK AVFAX CODE 2021

## ELEV 210



NSW  
324710S 1512022E UTC +10 YCNK  
VAR 12 DEG E CERT  
AD OPR Cessnock City Council, PO Box 152, Cessnock, NSW, 2325. Email:  
airport@cessnock.nsw.gov.au. PH H24 02 4993 4228. Website:  
www.cessnock.nsw.gov.au.

### REMARKS

- AD Charges: Refer website.
- Security cameras OPR H24.

### HANDLING SERVICES AND FACILITIES

Skyfuel: H24 AVGAS and JET A1 self-service browsers accept V, MC and Skyfuel carnet card.  
Phone 0418 862 100 or 0417 780 280. Refer to [www.skyfuel.com.au](http://www.skyfuel.com.au) for site orientation.  
LAME: Murray's Air Repair, Phone 02 4991 2323 Mobile 0428 431 193.  
LAME: DL Avionics, Phone 0402 487 131, website: [www.dlavionics.com](http://www.dlavionics.com).

### APRONS AND TAXIWAYS

Limited to Code A and B ACFT.

### AERODROME OBSTACLES

Radio communication TWR 115FT AGL BRG 149 DEG MAG 3.14NM FM ARP.

### METEOROLOGICAL INFORMATION PROVIDED

- METAR/SPECI.
- AWIS FREQ 134.050 (requires one-second pulse to activate) - Report faults to AD OPR.
- AWIS Phone 02 9353 6410 - Report faults to BoM.

### PHYSICAL CHARACTERISTICS

17/35 176 36a 5700/450 (65PSI) WID 23 RWS 90

### AERODROME AND APPROACH LIGHTING

RWY 17/35 LIRL PAL 119.6 SDBY PWR AVBL  
RWY 17/35 PAPI(1) PAL 119.6 3.0 DEG28FT SDBY PWR AVBL

(1) Left side.

- RWY 17/35 edge light spacing: 60M.
- THR lights: green and red.
- HJ selection of PAL will only activate PAPI. RWY LGT will OPR only when poor light levels exist.

### OTHER LIGHTING

- OBST lights: Illuminated WDI, weather station, fuel area, Hangar East and Hangar Wirraway.
- TWY B LGT: Blue edge.
- East APN lit.

### ATS AND AERODROME COMMUNICATION FACILITIES

FIA BRISBANE CENTRE 125.7 Circuit area

### LOCAL TRAFFIC REGULATIONS

- Circuit training restricted BTN 0800-2200 Local.
- Back tracking on the RWY is not permitted during daylight hours unless Outer Main Gear Wheel Span (OMGWS) is greater than 4.5M.
- Overnight PRKG by prior arrangement only.
- Eastern APN PRKG is hard stand only.
- Fixed wing grass take off and landings are not permitted.

**FLIGHT PROCEDURES**

1. Right hand circuits RQ RWY 35 HN (left hand circuits daylight HR).
2. Preferred RWY 35 nil or LV wind or direct crosswind.
3. Circuit OPS to be conducted WI 2NM RAD due to terrain and noise abatement.
4. Pilots should limit radio transmissions in the circuit to those necessary to provide traffic information and separation. Broadcast with intentions turning base is recommended.
5. **HELICOPTER OPERATIONS**
  - a. HEL circuit operations at 500FT AAL.
  - b. HEL operations FM Eastern Apron.
  - c. HEL training SW corner of AD.
6. Ultralight circuit operations at 500FT AAL.

**CTAF** 122.65

**ADDITIONAL INFORMATION**

Wildlife hazard (kangaroos) exists at dusk and dawn.

**CHARTS RELATED TO THE AERODROME**

WAC 3456.

---