

WARRNAMBOOL

RWY	(CN)	TORA	TODA	ASDA	LDA
04	(2)	1069 (3507)	1129 (3704) (3.51%)	1069 (3507)	1069 (3507)
		RESA dimensions 60M X 90M commences from RWS end.			
22	(2)	1069 (3507)	1129 (3704) (1.55%)	1069 (3507)	1069 (3507)
		RESA dimensions 60M X 90M commences from RWS end.			
		Slope 0.2% down to SW. RWY WID 23 RWS WID 90			
13	(3)	1372 (4501)	1432 (4698) (5.95%)	1372 (4501)	1372 (4501)
		RESA dimensions 80M X 90M commences from RWS end.			
		Transient OBST 2.6FT ABV and 13.4M SE of RWS end not taken into account in the calculation of TODA, GRAD and STODA.			
31	(3)	1372 (4501)	1432 (4698) (2.81%)	1372 (4501)	1372 (4501)
		RESA dimensions 80M X 90M commences from RWS end.			
		1. Approach transitional surface infringed by trees N side approximately 53M from RWS end.			
		2. Fence 4FT ABV and 16M NW of RWS end not taken into account in the calculation of TODA, GRAD and STODA.			
		Slope 0.5% down to SE. RWY WID 30 RWS WID 150 Graded 90			

SUPPLEMENTARY TAKEOFF DISTANCES

RWY04-	927(3041)(1.9)	1021(3350)(2.2)	1050(3445)(2.5)	1116(3661)(3.3)
RWY13-	1249(4098)(1.6)	1295(4249)(1.9)	1318(4324)(2.2)	1336(4383)(2.5)
	1418(4652)(5.0)			1371(4498)(3.3)
RWY31-	1029(3376)(1.9)	1213(3980)(2.2)	1347(4419)(2.5)	