




RNP RWY 03
ONSLOW, WA (YOLW)

NM TO NEXT WPT	OL2SF	4	3	2	1.5	RW03											
ALT (3° APCH PATH)	1600	1340	1020	700	540												

MISSED APPROACH:
TURN LEFT,
TRACK DCT TO OL2SH,
THEN TRACK 196°,
CLIMB TO 1600FT.

1. MAX IAS:
INITIAL : 210KT.
2. CAUTION:
WHEN R AREAS ACT.
ACFT MAY REQUIRE
CLEARANCE BEFORE
COMMENCING PROC.
3. AWIS (PHONE)
08 6216 2630



CATEGORY	A	B	C	D
LNAV	540 (526 - 3.0)			NOT APPLICABLE
CIRCLING	600 (577 - 2.4)		700 (677 - 4.0)	
ALTERNATE	(1077 - 4.4)		(1177 - 6.0)	

OLWGN01-185

USE QNH

RNP RWY 21
ONSLOW, WA (YOLW)

27 NOV 2025



NOTES

1. MAX IAS:
INITIAL : 210KT.
2. CAUTION:
WHEN R AREAS ACT.
ACFT MAY REQUIRE
CLEARANCE BEFORE
COMMENCING PROC.
3. AWIS (PHONE)
08 6216 2630

CATEGORY	A	B	C	D
LNAV	550 (536 - 3.0)			NOT APPLICABLE
CIRCLING	600 (577 - 2.4)		700 (677 - 4.0)	
ALTERNATE	(1077 - 4.4)		(1177 - 6.0)	

Changes: MAG VAR, R852A, R852B REDESIGNATED M855A, M855B, EDITORIAL.

OLWGN02-185